App. F. IX-4

Previous References

1939.
(Legis)

File No. 11-39
Serial Nos. 1

Later References.

(69)

GENERAL AND REVENUE SECRETARIAT.

Serial Nos. One only

Part A for July 1939

SUBJECT.

Amendment of the Border Regulation

No. P. 213/Legis dt 12.7.39
Orders the amendment of the Act.

WD 0573—GPB—22,500

Amendment of Boiler Regn
5 5 37

General and Revenue Secretariat.

File No. 9 Re 300 of 1934

[App. F. III-2

Letter no. F.419-34 dated 1st May 1935 from the Dir. Ind. recommending the amendment of the Mysore Boilers Regulation so as to provide for a Chief Inspector of Boilers.

The present Regulation III of 1920 provides for the appointment of Inspectors under it. The proposal is to amend the Regulation so as to provide for the appointment of a Chief Inspector. Such a post has been provided for in the C.I. Regn. V 1923. The proposal is for orders.

(The file re distribution of Boiler Inspection work among the Inspectors of Industries and the Asst. Engineer has been sent separately for reply. D.Nos 3887 & 4676-34)

14-1-b.35:(2) The Chief Inspector of Boilers in British India, while having general supervising control over the Inspectors, are expected to carry on work as required in Secs 7, 11, 12, 19 and 26 of the Br. Indian Act V of 1923. Of the functions now imposed by this agency the fuling of Inspector in Mysore, items 3, 4b - 9 are traced in the Br. Indian Act.

14.2.35.

Appointment of a Chief Boiler Inspector
Amendment of the Boiler Regulations

V

(2

General and Revenue Secretariat

He File No. 300 of 193 .4

~~The appointment of a Chief Inspr of Boilers for the State wyle appd, and the existing regulation amended on the following lines:-~~

~~Clause 5 of the Br Indian Act be substituted for the clause 3 of the Mysore Regulation with necessary changes verbal~~

3) The suggestion to appoint the Industrial Engineer as the Chief Inspr of Boilers in the State wyle appd, But this will involve an amendment of the Boiler Regulation on the lines of the Boilers Act of the Br India, both as regards adding a clause to provide for the appointment of a Chief Inspr & to specify his powers & the distribution of the work between the Chief Inspr & the Insprs of Boilers. If approved the D^r will be requested to submit a draft amending bill for consideration

Dewan — 29/8

4) I think our Boiler Act requires the legislative sanction of Govt into the hands of the Br Govt and this will involve correspondence. Before it will proceed to the appointed

A

General and Revenue Secretariat.

File No. 300 of 1936

Chief Inspector

Firebrand

25.9.35



1 X Amendment of the Boiler Regulation

4

Ltr File No. 300 of 193 4

General and Revenue Secretariat

From the Director of I & C

Letter No 419/35-36 D 28/2/37

With reference to 1/2 forwards a draft of amendments to the Regulations together with a statement of Objects & Reasons

(10) The Director states that the proposed amendments are suggested with a view to bring the Boilers Regulation in force in a line with the Indian Act of 1923 as in force in Bombay which is more comprehensive

(11) The idea of amending this Regulation was first suggested by the Director of I & C with a view to provide for a Chief Inspector of Boilers & Please see Director's letter of 1.5.35 (P.U.D No 7) There with we no separate appointment made as such but the Director proposes that the Industrial Engr can exercise the functions of a 'Chief' Boiler Inspector so as to have a greater check on inspections etc. made by the Deputy of Inspector

(12) The proposal is made as this arrangement is in force in Bombay Presidency

(13) Incidentally occasion is availed of to provide in the amending bill (1) for assessment of examination

Serial No.

fees in terms of heating surface, as against H.P. as now provided (2) for collection of arrears of fees as arrears of L.R. and (3) for bringing the Regulation generally into conformity with the British Act of 1923

(14) As the questions are important it is for consideration whether it may not be referred to the Board of Trade for an expression of their views.

Dir. It is submitted that the proposed amending bill will have to be recast in consultation with the Protection Branch, & the appointment of a Chief Boiler Inspector, is finally decided upon.

Subd for orders — Refer paras 1 to 5, 8 & 9 supra.

by 98
20/3/36 22/3

(15) Please put up a copy of the Rules framed under the Regulation and the file leading to the notification no D/ 9338/ 20 & 307-29-2 D/ 18.2.20.

(16) How many boilers are there in use in the State and how many of them

WD 03594—GPB—30,000—18-7-35

6 Amendment of the Boilers Regn

14 File No. 300 of 193 4 General and Revenue Secretariat

each year
were inspected by each of the Inspectors
during the several years after ever since
the Regn was brought into force? What
is the amount of fees realised each year
A tabular statement may be put up
showing the name of the Inspr and other
particulars. If the information is not
available in the administration reports
it may be called for from the Dr.
How many accidents to boilers were reported
each year? Was there any revocation or
suspension of ~~licences~~ licenses in consequence
How many appeals were there under S 14
the Regn? Has S 15 been brought into force
in any local area, and have any Boiler
Attendants' examinations been held and
Certificates of competency granted under S
Are there any cases in which such
certificates have been cancelled? ~~Has~~
In how many cases have the penalties
prescribed under S 22 been enforced?
(4) It is also necessary to have a
comparative statement of the Mysore
Boilers Act, the Mysore Regulation III of 1920
and the proposed Amending Regulation,

Amendment of Boilers Regulation

Serial No.

Typed in parallel columns (Corresponding provisions in the Act and the Regns. shd. be typed against one another). It is also necessary to find out whether the present Inspectors of Boilers have passed any examination or possess the qualifications prescribed for Inspectors of Boilers in Bombay or Madras presidencies.

W. 11.3.36

(18) The information mentioned at A in para 16 above is not available here & approval, Mr. Ste will be referred unofficially to the Director of Ind. for furnishing the same.

Subs for orders.

KR 9/3

25/3/36

(19) Before considering any amendment to the Boilers Regulation it seems desirable to know how the present Regulation which is much simpler has actually worked, what its defects are and in what directions modifications are necessary. The situation will then be in a position by merely

WD 03594—GPB—30,000—18-7-35

8 & Amendment of the Boiler Reg.

S/Le File No. 300 of 193 4 | General and Revenue Secretariat

passing a more complicated legislation
It is necessary to know if the Inspr
of Boilers have been able to inspect
all the boilers in use in the State
if so, with what results If approved
the file will be sent unofficially
to the Dr and information on the
points raised in paras 16 and 17 will
be called for.....

.....Dr Levy 25.9.36

(20) The points raised by the Dr Levy are
somewhat difficult. They may be taken up separately.

(21) In the meantime a statement may be prepared
showing in parallel columns, the provisions of the
present regulations, the Labour Immigration Act and
the changes proposed by the Dr.

(22) The orders of the Hon'ble Chief
be obtained very early so that action may
be taken for the next June Session.

2506

Amendment of the Boilers Regulation

40 B3

Serial No.

(25) A typed statement showing the provisions of the existing regulation, (2) of the Boilers Act of (3) of the proposed amending regn, is put up as directed

by 98 (26) The statement is put up 21/4/36

The draft regulation follows closely the Indian Boilers Act 1923 The latter is a complicated measure and does not appear to be well suited for the conditions at present obtaining in Bycos It works well in industrial cities like Bombay, Karachi etc At present we have a much simpler regulation The Dr has not reviewed its working since it came into force. At present it is not known if all the boilers in the State have been inspected at periodical intervals One of the main objects of the new measure is to provide for

WD 03594—GPB—30,000—13-7-35

10 Amendment of the Boiler Regulation

In File No. 300 of 193 4

General and Revenue Secretariat

The appointment of a chief Inspector of Boilers to supervise the work of Inspectors. At present we have not enough staff to conduct a regular inspection of all the boilers. It therefore appears to be premature to provide statutorily for a chief Inspector of Boilers. A fuller discussion of data appears to be necessary

Dr Kemp 24.11.26

27) Please ask Mr. Appadorai ... to discuss this matter with me

Mr. 11.12.26.

4083-35
207-36. Amendment of the Boilers Regulation 11

General and Revenue Secretariat | 9/4 File No. 300 of 193 4 | [App. F. III—2

Serial No.

29) Hon Bly Aphadorai Mudaliar does not seem to have intervened the Dev. Secy to discuss the proposed amendment to the Boilers Regulation. Refer para 27+28

30) The file may perhaps be referred back to the present Director for expression of his views on the proposal submitted for orders.

14.9.37 Dev Secy 14.9.37

31) 14.9.37

14.9.37

No no 114 dt 9-37-3 (2) 22-9-[illegible]37

Forwarded with compts to the Director, Ind. for favour of his opinion.

By order

[illegible]

for Secy to Govt.

Amendment of the Boiler Regulation

File No. 300 207/36 of 1934. | General and Reve Secretariat

fees according to the heating surface of a boiler is a desirable one and should be given effect to as early as practicable. I am aware that this was considered at the time when the introduction of the Regulation was under consideration, but that it was deferred until some experience was gained of its working. The amendment seems to be necessary now as horse power with reference to boilers is not quite scientific. The scale of fees may be same as in British India, the minimum rates being fixed by rules.

M Krishnamurthy
Director of Industries and Commerce in Mysore.

26. 10. 37

3429/37/1 207/37

General and Revenue Secretariat | File No. | of 193 | [App. F. III—2

Serial No.

In view to delete 1) the word "if" at Sales not executing Mrs. presented in Schedule B" in Section 24 Clause (b) and (2) schedule B. The Legislative Dept may see if any the consequential changes would be necessary

DMC
3/12/37
MW 3.12.37
WHS

2) The file may be referred to the Law Section for necessary further action as directed above

DMC/DK 7.12.37 (Law Section)

DK 7/12

~~Under S 24(b) power is given to make rules for~~

3) Under S 5 of the Steam Boilers Regn 1920 the owner of any unlicensed boiler has to give notice of his intention to use such boiler. When the Inspector examines the boiler and if he is

Satisfied issue of licence along with the notice the owner has to pay the fee prescribed for such examination under S.24.

38) S. 24(h) gives power to fix the fee at rate not exceeding those prescribed in Schedule B

39) The rate prescribed in Schedule B are based on the Horse Power of the boiler

40) The Director is of opinion that these rates should be based on the heating surface of the boiler

41) This can be effected either by amending Sch B or by omitting it and the words in S. 24(h) beginning with "at rates"

42) The latter method has been considered to be

Serial No.

adopts his by the second member
43) This will avoid going to the Legislature ... further for changing the rates at any time if so required No other section of the Rules is affected & no further changes in the Rules were called for
Submitted for orders

Sec 8/12

44) No consequential changes would be necessary
Revd Secy)

Secy 9.12

45) As directed by the Asst Secy on P.C.D A draft amendment and a Statement of Objects and reasons are sub

MMD Dy 20/12/38

46) Fair draft

AS 22/12/38.

47) Signed draft sent

MMD Dy 22/12

48) The drafts are for consideration

16

Amendment to the Borstal Act

File No. 200 of 193 (

General and Revenue Secretariat

49) Memo. to be sent to the d.C. Secy for scrutiny & appn

16
22/12

Dy. Secy.

3036
28/12

50) MW 19.1.39

KG

51) For favourable scrutiny & remarks.

KG
6/1

Under Secy. (CA - d.C. Secy)

hg
20/1

REV. SECT.
Secy
9 JAN 1939

52) A slightly modified draft Bill and Statement of Objects and Reasons are submitted for orders.

One
30.1.39.

Put up under
S.C. observations
15. The Bill as now drafted
is amended to
secure to
Schedule A
Dy. Secy
Govt. E. S. U

53) It does not appear to be necessary to amend section 7 and Schedule A in order to delete "A" in the expression "Schedule A". Though the deletion of "Schedule B" will leave only one schedule, it will not matter even though it be called "Schedule A" and not merely "Schedule". If more amendments are also to be included it will introduce unnecessary matter into an otherwise simple amending Act.

One
15.2.39.

54) The bill as revised with Statement of

Steam-Boilers ... Act. 17

Amendments 3113/38

General and Revenue Secretariat | File No. | of 193 | [App. F. III—2

OFFICE OF THE MEMBER OF COUNCIL
13 MAY 1939
No. 8370

Serial No.

4265

OFFICE OF THE MEMBER OF COUNCIL
MAY 10 1939
No. 8863

4 objects & reasons appear to be alright
Dev Secy)

hg
7.3.39

5/ Mayhew asks for views
introducer at the coming R of Lds

For Member

MW
9.5.39.

HG
10/5

5b/ MW
11/5/39

5/ Mayhew asks introducer to be present when matter discussed.
Dev Secy

MW
11.5.39.

HG
11/5

5/ MW
13-5-39

Chief Secretary
with compts

5/ MW.
15.5.

No. C. 489

of 1938-39

GENERAL AND REVENUE SECRETARIAT

Council Matter.

Subject

Bill to amend the Mysore Steam Boilers and Prime-Movers Act of 1920.

60) *Circulated to the Members of Council.*

By Order,

16th May 1939.

Chief Secretary to Government.

61) **First Member of Council.** Seen.

A 1074 62) 16.5.39 **Second Member of Council.**

18.5

62) Secretary to Govt., Dev Dept., with compliments

19.5.39

3113/38 Bill to amend the Bombay Steam Boilers and Prime Movers Act III of 1920 19

General and Revenue Secretariat | R.C. File No. | of 193 | [App. F. III-2

Serial No.

(a) D.F.R. and draft General Principles Order.

K.M.K. 23/5

(b) The General Principles, if approved, will be put on circ. to the R.A. for publication.

H.G. 28/5

Dep. Secy.

(c) Instrument

F.R. signed by Member

H.M. 23/5

H.G. 23/5

23/5/39

H.M. 23.5.

H.G. 23/5

Final Note by the First Member of Council.

Subject.—

Bill to amend the Mysore Steam Boilers and Prime Movers Act, III of 1920.

---

67) Section 24(b) of the Steam Boilers and Prime Movers Act of 1920 empowers the Government to make rules for fixing the fees payable on account of examination of Boilers and Prime Movers at certain rates, and schedule B of the Act prescribes the maximum fees leviable according to the horse power of the Boilers.

68) While proposing certain amendments to the Act, the Director of Industries and Commerce suggested that as horse power with reference to boilers is not a proper basis, fees for inspection may be based on the heating surface of the boiler and that the scale of fees may be fixed at the same level as in British India.

69) It may be necessary in course of time to amend our Act on the lines of the British India Act. But for the present, I consider that it would be sufficient, in order to secure the objects in view, (1) to delete the words "at rates not exceeding those prescribed in schedule B" and (2) "sechedule B". The Dewan and the Second Member of Council have agreed to the proposal.

70) I solicit gracious sanction of His Highness to place before the Representative Assembly the general principles of the Amending Bill and to introduce the Bill itself in the Legislative Council at its next Session.

N. M. Ramachar

MEMBER OF COUNCIL.

Bangalore,
25th May 1939.

Submitted to His Highness.

71) *I submit herewith a Final Note by the* FIRST *Member of Council on the subject of* the Bill to amend the Mysore Steam Boilers and Prime Movers Act, III of 1920,

for His Highness' gracious approval.

Mirza M. Ismail

Dewan.

Record of Cases submitted for the Orders of His Highness the Maharaja.

Subject.

Bill to amend the Mysore Steam Boilers and Prime Movers Act, III of 1920.

General and Revenue
Secretariat.

SUBJECT :—

Bill to amend the Mysore Steam Boilers and Prime Movers Act, III of 1920

(*)

31. All urgent or confidential files returned with His Highness' orders may in the absence of instructions or indications to the contrary, be ordinarily circulated to the Members of Council for perusal after the issue of orders.

33. The Secretaries concerned should see that orders in the cases referred to above are issued at once and that the files are returned immediately after to the Chief Secretary for circulation to the Members.

34. In all other cases, the files will first be circulated to the Members of Council at Headquarters and then sent to the Secretariat concerned for the issue of orders.

74) Circulated to Members of Council for perusal of His Highness' orders ~~before~~/after issue of orders. (*Vide* Rules 31, 33 and 34 of the Subsidiary Rules for the conduct of business of Council in the Manual of Council Rules and Procedure.)

M Visvesvaraya
Chief Secretary to Government.

Through the Secretary to Government,

~~Financial~~.....Department.

1.6.39

9637 / 2/6/39 75) FIRST MEMBER OF COUNCIL. 2/6/39

A 1690 / 2.6.39 76) SECOND MEMBER OF COUNCIL. 3.6

77) Secy. to Govt., Dev. Dept. with compliments

3.6.39

4.6.39.

WD 01152—GPB—750—21-12-38

Has the bill been printed? 16/9/16

Draft B.?

2529/38 (15) 24

Mysore Steam-boilers and Prime-Movers (amendment) Bill

General and Revenue Secretariat | File No. | of 193 | [App. F. III—2

Serial No.

78 The Bill was published, under Rule 8 of the Rules of Business, in the Gazette Extraordinary dated 27.5.39. The general principles of the Bill were placed before the R.A. at its recent session and were accepted by that body without discussion.

79 The Bill is a very short one and the following motions are put up for inclusion in the Agenda of the ensuing Session of the Le

Motion that the Bill published under Rule 8 of the Rules of Business be Read in Council

Mover — 1st Member
Seconder — Development Secretary

2. Motion that the Rules of Business and Standing orders be suspended and the Bill taken into Consideration at once without reference to a Select Committee

Mover — 1st Member
Seconder — Development Secretary

3 Motion that the Bill be passed

Mover — 1st Member
Seconder — Development Secretary.

2nd Member
Temp. Dev. Sec'y

Le 14/6

BKR 14.6

Le 14/6

1st Member) 80/ 15/6/39

Le 15/6

BKR 16.6

C[illegible] OF THE [illegible]T [illegible] OF COUNCIL
JUN 15 1939
No. 984

0544—GPB—30,000—2-9-83

25 7529 P

Mysore Steam Boilers and Prime Movers Amendment Bill

File No. _____ of 193

General and Revenue Secretariat

81) The Bill was introduced in the Legislative Council in June 1939 and passed by it at the sitting after suspending the Rules of Business and Standing Orders

A D.F.N. is submitted for orders

28.6.39 HMN

BKR 28.6

Law Secy)

82) (Ist Member) C. 28/6

F.N. Signed by Member.

BKR 29.6

Gulf 30.6.39.

83) F.N. submitted

Dewan)

C. 30/6

BKR 30.6

OFFICE OF THE ... COUNCIL
JUN 29 1939
No. 10380

DEWAN'S OFFICE
1 JULY 1939
No. 18

A Bill to amend the Mysore Steam boilers and Prime- movers Act of 1920.

Whereas it is expedient to amend the Mysore Steam-boilers and Prime-movers Act No.III of 1920; It is hereby enacted as follows:-

This seems to be unnecessary omit by

[1. This Act may be called the Mysore Steam -boilers and Prime-movers (Amendment) Act 19 .]

[2.] In Section 24 (b) of the Mysore Steam-boilers and Prime-movers Act 1920 [(~~hereinafter referred to as the said Act~~)] the words "at rates not exceeding those prescribed in schedule-B" shall be omitted.

This in consideration the consequence this is implied in the amendment proposed

2. 3. Schedule B to the said Act shall be omitted.

DRAFT FINAL NOTE.

Subject:- Bill to amend the Mysore Steam Boilers and Prime Movers Act III of 1920.

Section 24 (b) of the Steam oilers and Prime movers Act of 1920 empowers the Government to make rules for fixing the fees payable on account of examination of Boilers and Prime Movers at certain rates and, schedule B of the Act prescribes the maximum fees leviable according to the horse power of the Boilers.

While proposing certain amendments to the Act the Director of Industries and Commerce suggested that as horse power with reference to Boilers is not a proper basis ~~scientific~~, fees for inspection may be based on the heating surface of the Boiler and that the scale of fees may be fixed at the same level as in British India.

It may be necessary in course of time to amend our Act on the lines of the British India Act. But for the present I consider that it would be sufficient, in order to secure the objects in view, (1) to delete the wo "at rates not exceeding those prescr

prescribed in schedule B" and (2) "schedule B" The Dewan and the Second Member of Council have agreed to the proposal.

I solicit ~~the~~ gracious sanction to place before the R.A. the general principles of the Amending Bill and to introduce the Bill itself ~~to~~ in the L.C. at its next Session.

MEMBER OF COUNCIL.

Final Note by the First Member of Council.

Subject.—

Promulgation into law of the Mysore Steam-boilers and Prime-movers (amendment) Bill.

The gracious sanction of His Highness was given on the 31st May 1939 to place the general principles of the Mysore Steam-boilers and Prime-movers (amendment) Bill before the Representative Assembly and to introduce the Bill in due course in the Legislative Council. The general principles of the Bill were accepted by the Representative Assembly at its recent - - session. The Bill was introduced on 21st June 1939 in the Legislative Council and passed by it at one sitting.

I solicit the gracious sanction of His Highness for promulgating the Bill into law.

M. Madhava Rau

MEMBER OF COUNCIL.

Bangalore,
30th June 1939.

Submitted to His Highness.

I submit herewith a Final Note by the...First.....
Member of Council on the subject of..Promulgation...
into law of the Mysore Steam-boilers and.....
Prime-movers (amendment) Bill.....
for His Highness' gracious approval.

Bangalore,
30th June 1939.

Mirza M. Ismail
Dewan.

Record of Cases submitted for the Orders of His Highness the Maharaja.

Subject.

Promulgation into law of the Mysore Steam-boilers and Prime-movers (amendment) Bill.

H. H6

SUBJECT:—
Promulgation into Law of the Mysore Steam-boilers & Prime-movers (amendment) Bill.

Circulated to Members of Council for perusal of His Highness' orders before/after issue of orders. (*Vide* Rules 31, 33 and 34 of the Subsidiary Rules for the conduct of business of Council in the Manual of Council Rules and Procedure.)

Chief Secretary to Government.

Through the Secretary to Government,

~~Development~~ Department.

4.7.39

115
5.7.39

FIRST MEMBER OF COUNCIL.

5/7/39

216
6.7.39

SECOND MEMBER OF COUNCIL.

6.7

Prof. Brown.

6.7.39

WD 0579—GPB—375—20-12-38

7/7

6877

4083/36
3113-38
600-39 34

Steam boilers and Prime movers (Amendment) Act

General and Revenue Secretariat | Legs File No. 11 of 1939 | [App. F. III–2

Serial No.	
	Re gracious assent, His Highness was accorded on 3.7.39 to promulgate the Bill into law. A draft G.O. directing Publication of the Act as Act XX of 1939 is put up. (Law Secretary). 4/7/39 10.7. 6/7/39 11/7
	Issued G.O. No. P 213 Legis 11-39-1 dated 12-7-39
	The Act has been Published in Gazette of 27.7.39).
	The file will be sent to the Dev. Dn. if approved for note and return. (Law Secretary). 3 28/7 24.7.39 (Dev. Dn.) Extract taken for necessary actions to frame Rules under the Amended Act, and the file may be returned to the Protection Branch. 23/8. Asst. Secy. Protection W/C

Telegraphic Address:—"INDUSCOM."

GOVERNMENT OF MYSORE.

DEPARTMENT OF INDUSTRIES AND COMMERCE.

In reply please refer to
No. F. 419-34/35
Encl. One.

OFFICE OF THE DIRECTOR,

Dated Bangalore, 1st May 1935.

55

REV. SECRETARIAT -8 MAY 1935

FROM S. Abdul Wajid, Esq., B.A.,
~~XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX~~
Director of Industries and Commerce in Mysore.

TO

M. Venkatanaranappa, Esq., B.A.
Secretary to the Government of Mysore,
Development Department, Bangalore.

Subject:- Boiler Regulation - Amendment of the same to provide for the appointment of a Chief Inspector of Boilers.

have the honour to enclose a note explaining the necessity appointment of a Chief Inspector of Boilers in the State iew to efficiently administer and discharge the functions d with the inspection of Boilers in the State and to bring ulation in line with that obtaining in British Indian Prov

he note clearly explains how the present system is defect it can be remedied and defines the functions and duties nspector.

N O T E.

SUBJECT:- APPOINTMENT OF A CHIEF INSPECTOR OF BOILERS.

H.307-29-28.
P

The Boiler Regulation was brought into force in Mysore State, four years ago. There was once full time Inspector with jurisdiction all over the State in the earlier stages. Subsequently, the Superintendents of Industries were appointed as Inspectors of Boilers giving them certain jurisdictions, except Bangalore City and K.G.F areas which have been under the Industrial Engineer's charge.

The whole time Inspector of Boilers, i.e.,Messrs. V.Ganesh Iyer and B.G.A.Mudaliar, in their reports have clearly expressed their inability to conduct a thorough inspection of all the boilers in the State due to want of time and also the large number of boilers that came up for inspection. They have also laid stress on the importance of the calculations of each boiler with particular reference to the strength of each part under pressure, for the issue of license, as this forms a permanent record without which inspection of boilers will not be complete.

The majority of the boilers in the State are those imported from the neighbouring Provinces where they were either condemned or reduced in working pressure and these are being worked as it suits the convenience of the owners without regard to correct pressures. In this connection it may be stated that there are some boilers which are 30 to 40 years old. As explained above, it has not been possible to work out the detailed calculations of the

the boilers so far, by the Inspecting staff. The detailed calculation is necessary in order to arrive the condition of the boilers as regards their safety.

There are only two Superintendents now in place of the three before. Inspite of the fact that most of the boilers had not been completely dealt with in the manner described, the technique involved in calculating the strength of the parts of a boiler is of a high order and these calculations have to be checked and certified by a superior authority.

The Superintendents of Industries were given a short course of instructions in Boiler Inspection work in the College of Engineering and besides they do not posses the requisite qualifications or practical experience necessary in regard to boiler maintenance, construction, repairs etc., which is absolutely necessary to make them carry out this important duty efficiently. The course of training, however intense it might have been, cannot replace a good grounding in theoretical knowledge, bearing on boiler inspection, and necessary practical experience. It is found on a perusal of all the boiler Registration books, a number of irregularities have taken place. This is due to the fact that there has been no efficient check of the inspections made. An efficient and safe inspection can only result by constant check and timely advice by an officer technically qualified and of a superior status. In other words, a Chief Inspector of Boilers is necessary, as in British Indian Provinces. In every British Indian Province, the Boiler Act is administered invariably by an organisation consisting of a Chief Inspector of Boilers, and Divisional Inspectors.

Therefore, I am of opinion that a Chief Inspector of Boilers who has similar functions to that of a similar officer in a British Indian Province is necessary.

I suggest that the Government should be moved for amending the Regulation so as to provide for the effective control to be exercised by a Chief Inspector, whose duties will be as follows, under the administrative control of the Director of Industries & Commerce.

1) Submission of Annual Report, [illegible]

2) To test check the inspections conducted by the Inspectors of Boilers.

3) To check the Registration particulars of all the boilers inspected for registration,

4) To approve the tour programme of the other Inspectors.

5) To examine and countersign the Inspectors' memorandum of Inspection books of each boiler after each inspection and to scrutinise the diaries and returns of inspections.

6) To give final opinion in all cases in which an Inspector proposes to increase or decrease the pressure allowed for any boiler or to revoke, cancel, or refuse or renew the license of a boiler or to order important repairs, structural alterations or renewals in the boilers.

7) To decide all appeals subject to the final approval of the Director, against the orders of an Inspector.

8) To advise prosecutions to be sanctioned by the Director.

9) To enquire into the accidents etc.,

The Chief Inspector of Boilers, apart from this, has to conduct examinations for engine Drivers and Boiler Attendants for the necessary issue of certificates. This is of great importance, as at present the engines and boilers are being looked after by the local men who have

have very little knowledge of the machinery they handle. Most of the accidents and the bad maintenance of the machinery are all due to the employment of such inefficient men. Introduction of this examination in the State will indirectly be very beneficial to a number of owners of machinery in muffusil places. In due course, this will help the Department in carrying out efficient inspections.

This arrangement is in vogue in Madras and other provinces.

In these circumstances explained above, I am of opinion that Government may kindly be addressed so as to sanction the appointment of a Chief Inspector of Boilers and to amend the Regulation accordingly, which, as it stands does not provide for such an appointment.

There need be no separate Chief Inspector of Boilers, as the Industrial Engineer who has all the qualifications set forth for such an appointment, will exercise the functions. But the regulation requires an amendment for a Chief Inspector of Boilers being appointed. Such a provision in the Mysore Boiler Regulation will bring our Boiler Inspection administration in line with what is prevalant all over India.

sd. B.G.A. Mudaliar

ATR)2.

INDUSTRIAL ENGINEER.
29-3-35.

GOVERNMENT OF HIS HIGHNESS THE MAHARAJA OF MYSORE

General and Revenue Secretariat

No. D3097

Bangalore, Dated 7th November *1935*

From

The *Secretary to the Government of His Highness the Maharaja of Mysore,*
Development Department.

To

The Director of Industries & Commerce
in Mysore.

Sir,

With reference to your letter No.F2-419/34-35 dated 1st May 1935 recommending the amendment of the Mysore Boilers Regulation so as to provide for the appointment of a Chief Inspector of Boilers I am directed to state that Government consider that the existing Boiler Regulation in Mysore requires to be amended with a view to bring it into line with the British Indian Act and to ~~xxxxxx~~ state that incidentally the revision of the Regulation will provide for the appointment of a Chief Inspector of Boilers as recommended by you.

I am to request you to send up a draft amending bill for the consideration of Government early.

I have the honour to be,
Sir,
Your most obedient servant,

Secretary to Government,
Development Department.

G. R. S. App. F. G. 3.

GENERAL AND REVENUE SECRETARIAT.

(*Continuation sheet draft form.*)

D. 30/7
Ire 300-346
7.11.3

7

The Director of I.E.

Sir,

With reference to your letter No. F 619-34-35 dt. 1.5.35 recommending the amendment of the Agra Boilers Regn. Act so as to provide for the appointment of Chief Inspector of Boilers, I am directed to state that Govt. generally agree to your proposals contained in the note and request you to kindly send for consideration of Govt a suitable draft amending bill, to give effect to the same.

I have etc

Secretary to Govt

Telegraphic Address : "INDUSCOM"

GOVERNMENT OF MYSORE.

In reply please refer to No. M/419/35-36.

DEPARTMENT OF INDUSTRIES AND COMMERCE.

OFFICE OF THE DIRECTOR,

Encl. .....

Bangalore, dated the 28th February *193* 6

From

S.Abdul Wajid, Esq., B.A.,
~~XXXXXXXXXXXXXXXXXXXXXXXXXXXX~~
Director of Industries and Commerce in Mysore,
Bangalore (India).

To

M.Venkatanaranappa, Esq., B.A.,
Secretary to the Government of Mysore,
Development Department,
Bangalore.

Sir,

Subject:- Boiler Regulation - Amendment

With reference to your letter No.D.3097/I&C.300-34-2 dated 7th November 1935 on the above subject, I have the honor to enclose herewith a draft of an amendment together with a statement of objects and reasons.

The amendments proposed are with a view to bring the Mysore Steam Boilers and Prime Movers' Regulation, 1910, in conformity with the Indian Boiler Act of 1923 as is inforce in British India and which is more comprehensive.

I have the honor to be,
S i r,
Your most obedient servant,

Director.

ATR)2.

10

MYSORE STEAM BOILERS AND PRIME MOVER'S REGULATION

III of 1920.

STATEMENT OF OBJECTS AND REASONS FOR THE PROPOSED AMENDMENT

1. To provide for the assessment of the examination fee, in terms of Heating Surface as against those of the Nominal Horse Power now provided in the Mysore Boiler Regulation, as the Nominal Horse Power is a vague term.

2. There is no provision in the present Regulation to collect arrears of the examination fees as arrears of Land Revenue. This is quite necessary.

3. To provide for the appointment of a Chief Inspector of Boilers for which there is no provision in the present Regulation, the necessity for which has been already pointed out by me in my letter No.F2/419/34-35 dated 4th May 1935.

PWD I

4. In general, to bring the Mysore Boiler Regulation of 1920 ~~on~~ in conformity with the Indian Boiler Act of 1923.

Director of Industries & Commerce in Mysore, Bangalore.

Dated: 28th February 1936.
ATR)2.

THE MYSORE STEAM BOILERS AND PRIME MOVERS' REGULATION OF 1936.

(AMENDED)

Regulation to consolidate and amend the Law relating to the Inspection and Management of Mysore Steam Boilers and Prime Movers', it is hereby enacted as follows:-

Preamble.

Whereas it is expedient to provide for the inspection and management of Steam Boilers and Prime Movers', His Highness the Maharaja is - pleased to enact as follows:-

Short Title, Commencement and extent.

I) 1. This Regulation may be called The Mysore Steam Boilers and Prime Movers Regulation 1936.

2. It extends to the whole of Mysore State

Limitation of application of Regulation.

3. It shall come into force from such date as the Government, may, by notification in the official Gazette direct.

4. But nothing in this Regulation shall be deemed to apply to any locomotive engine, boiler or prime-mover used upon, or appertaining to any railway within the meaning of that word as defined in section 3 Clause (4) of the Mysore Railway Regulation 1894.

Definitions.

II) In this Regulation, unless there is anything repugant in the subject or context:-

Boiler.

1. "Boiler" means any closed vessel used for generating steam under pressure and any apparatus closely attached thereto and affected by steam pressure;

Prime-Mover.

2. "Prime-mover" includes any steam engine, steam-hammer, fly-wheel, first-driving shaft or pulleys attached to any such engine, and every such appurtenance necessary for the safe and efficient working of a prime-mover.

Chief Inspector & Inspector.

3. "Chief Inspector" and "Inspector" ~~means~~ mean respectively a person appointed to be Chief Inspector and Inspector under this Regulation.

Owner.

4. "Owner" includes any agent or hirer using any boiler or prime-mover.

Steam pipe.

5. "Steam-pipe" means any main pipe exceeding two inches in internal diameter through which steam passes directly from a boiler to a prime-mover or other first user, and includes any connected fitting of a steam pipe, and

Structural alteration addition or renewal.

6. "Structural alteration, addition or renewal" shall not be deemed to include any renewal or replacement of a petty nature, when the part or fitting used for replacement is not ~~inferxirax~~ inferior in strength, efficiency or otherwise to the replaced part or fitting.

Appointment of Inspector.

III) 1. The Government may appoint such person or persons as it thimks fit to be Inspectors for the purpose of this Regulation and may define the limits within which the Inspector shall exercise the powers and perform the duties conferred and imposed on the Inspector by or under this Regulation.

Appointment of Chief Inspector.

2. The Government shall likewise appoint a person to be Chief Inspector for the whole province, who may, in addition to the powers and duties conferred or imposed on the Chief Inspector by this Regulation, exercise any power or perform any duty so conferred or imposed on the Inspector, or Inspectors.

3. Every Chief Inspector and every Inspector shall be deemed to be a public servant within the

within the meaning of the Indian Penal Code XLV of 1860.

Prohibition of use of unregistered or unlicensed boilers.

IV) Save as otherwise expressly provided in this Regulation, no owner of a boiler shall use the boiler or permit it to be used:-

1) Unless it has been registered in accordance with the provisions of this Regulation;

2) Unless a license or a provisional order authorising the use of the boiler is for the time being in force, under this Regulation;

3) At a higher pressure than the maximum pressure recorded in such license or provisional order

4) When the Government has made Rules requiring that boiler shall be in charge of persons holding certificates of service or competency unless boiler is in charge of a person holding a certificate required by such rules.

Provided, further, that until the expiration of twelve months from the commencement of this Regulation, nothing in this section shall be deemed to prohibit the use of any boiler in any area in which the registration of or a license for the use of a boiler was not previously required by law.

V) Provided that the owner of a boiler who holds in respect there of a license as aforesaid and who before the expiry of such license gives to the Inspector for the area in which the boiler is situated, not less than 30 days, before such expiry, notice of his intention to continue

continue to use the same afterwards, may continue to use ~~a~~ the boiler as allowed by the said license until it is examined in pursuance of such notice.

Registration - Owner to give notice of his intention to use a boiler.

VI.) 1) The owner of any boiler which is not registered under the provisions of this Regulation, shall, before using the same, give notice of his intention to do so to the Inspector for the area in which it is situtated. Every such application shall be accompanied by the prescribed fee.

Inspector to appoint a day for the examination of the boiler.

2) On receipt of the notice under section VI (1) the Inspector shall appoint a day within thirty days or such shorter period after sun-rise and before sun-set for the examination of the boiler and shall give the owner thereof not less than 10 day's notice of the date so fixed.

Examination by the Inspector.

3) On the said date, the Inspector shall carefully examine and measure the boiler and every part thereof and determine in the prescribed manner the maximum pressure at which the boiler may be used and shall report the result of the examination to the Chief Inspector in the prescribed form. The owner or person in charge of the boiler shall afford to the Inspector all reasonable facilities for the examination and furnish all such information as may be required regarding the boiler, including drawings, specifications as may be prescribed.

Require the owner to alter the boiler.

4) The Chief Inspector on receipt of the report may:-

a) Register the boiler and assign a Register number thereto either forthwith or after satisfying himself that any structural alteration addition or renewal which he may deem necessary has been made in

in or to the boiler or to any steam pipe attached thereto, or

(b) refuse to register the boiler in which case he shall forthwith communicate his refusal to the owner of the boiler together with the reasons therefor.

5. The Chief Inspector shall, on registering the boiler order the issue to the owner of a license in the prescribed form authorising the use of the boiler for a period of 12 months at a pressure not exceeding such maximum pressure as he thinks fit, and as is in accordance with the provisions prescribed in the Rules under this Regulation.

6. The Inspector shall forthwith convey to the owner of the boiler the orders of the Chief Inspector and issue necessary license together with the Register number assigned which the owner shall in the prescribed form cause it to be permanently engraved on an integral part of the boiler pointed out by the Inspector within seven days from the date of receipt of the Register number.

VII) 1. A license authorising the use of a boiler shall cease to be in force:-

a) on the expiry of the period for which it was granted;

b) when any accident occures to the boiler or steampipe or,

c) when the boiler is moved or shifted from one place to another, or

d) when any structural alteration, addition or renewal is made in or to the boiler or.

e) on the communication to the owner of the ~~to\the\owner\of\the~~ boiler of an order of the Chief Inspector prohibiting its use on the ground that the boiler or any steam pipe attached thereto is in a dangerous condition.

2. When a certificate ceases to be in force, the owner of the boiler may apply to the Inspector for renewal thereof for such period not exceeding twelve months with the prescribed fee and on the receipt thereof the Inspector shall ~~xi~~ fix a date within thirty days or such shorter period as may be convenient and shall give the owner thereof not less than ten days notice of the date so fixed.

3. On the said date the Inspector shall examine the boiler in the prescribed manner and if he is satisfied that the boiler and the steam pipe or steam pipes attached thereto are in good condition shall issue a renewed license signed by him, in the form prescribed in Schedule A, authorising the use of the boiler for a period not exceeding twelve months and at a pressure not exceeding such maximum pressure as he thinks fit and as is in accordance with the rules framed in this behalf.

Provided that if the Inspector:-

a) proposes to issue any license increasing or reducing the maximum pressure at which the boiler may be used, or;

b) proposes to order any structural alteration, addition or renewal to be made in or to the boiler or any steam pipe attached thereto, or

c) is of the opinion that the boiler is not fit for use, the Inspector shall, within forty-eight

forty-eight hours of making the examination inform the owner in writing of his opinion and the reasons therefor and shall forthwith report the case for orders to the Chief Inspector;

4. The Chief Inspector, on receipt of a report under sub-section 3, may, subject to the provisions of this Regulation and rules order the renewal of the ~~certificate~~ license in such terms and on such conditions, if any, as he thinks fit or may refuse to renew it:-

provided where the Chief Inspector refuses to renew a license, he shall forthwith communicate his refusal to the owner of the boiler together with the reasons ~~thereunder~~ therefor :-

5. Nothing in this section shall be deemed to prevent any owner of a boiler from applying for a renewed ~~certificate~~ license therefor at any time during the currency of a ~~certificate~~ license.

VIII) When the Inspector reports the case of any boiler to the Chief Inspector under sub-section 3 of section ~~6~~ of Sub-Section 3 of Section 7, he may, if the boiler is not a boiler the use of which has been prohibited under clause (e) of sub-section (1) of section 7, grant to the owner thereof a provisional order in writing in the form prescribed in Schedule B, permitting the boiler to be used at a pressure not exceeding such maximum pressure as he thinks fit and as is in accordance with the Rules framed in this behalf pending the receipt of the orders of the Chief Inspector. Such provisional order shall cease to be in force:-

for [illegible] hours of meeting the examination inform-
the owner in writing of his opinion and the reasons
therefor and shall forthwith report the case for
orders to the Chief Inspector;

4. The Chief Inspector, on receipt of a report
under sub-section 3 may subject to the provisions
of this Regulation and rules order the renewal of
the certificate license in such terms and on - ch
conditions, if any, as he thinks fit or may refuse
to renew it:-

provided where the Chief Inspector refuses
to renew a license, he shall forthwith communicate
his refusal to the owner of the boiler together
with the reasons thereunder:-

5. Nothing in this section shall be deemed to
prevent any owner of a boiler from applying for
a renewed certificate therefor at any time during
the currency of a certificate.

VIII) When the Inspector reports the case of any
boiler to the Chief Inspector under sub-section 3
of section 7 he may if the boiler is not a boiler
the use of which has been prohibited under clause
(e) of sub-section (1) of section 7, grant to the
owner thereof a provisional order in writing -
permitting the boiler to be used at a pressure not
exceeding such maximum pressure as he thinks fit
and as is in accordance with the Rules framed in
this behalf pending the receipt of the orders of
the Chief Inspector. Such provisional order shall
cease to be in force:-

a) on the expiry of six months from the date on which it is granted or,

b) on receipt of the orders of the Chief Inspector, or,

c) in any of the cases referred in clauses (b),(c)(d) and (e) of the sub-section(1) of section 7.,

and on ceasing to be in force shall be surrendered to the Inspector.

IX) The Chief at any time withdraw or revoke any c provisional order on the report of a otherwise:-

a) If there is reason to believe that the certificate or provisional order has been fraudulently obtained or has been granted erroneously or without sufficient examination or

b) if the boiler in respect of which has been granted has sustained injury or has ceased to be in good condition, or

c) if the boiler in charge of a person who is not, having regard to the conditions of the boiler, in the opinion of the Inspector, competent to have charge thereof;

provided that when the Chief Inspector withdraws or revokes a ~~certificate~~ license, or provisional order on the ground specified in Clause (c), he shall communicate the owner of the boiler his reasons in writing for the withdrawal or revocation and the order shall not take effect until the expiry of thirty days from the receipt of such communication.

a) on the expiry of six months from the date on which it is issued or

b) on receipt of the order of the Chief Inspector, or

c) in any of the cases referred in clauses (b),(c)(d) and (e) of the sub-section(1) of section

surrendered to the Inspector.

and on ceasing to be in force shall be

IX) The Chief Inspector may at any time withdraw or revoke any certificate or provisional order on the report of an Inspector or otherwise:-

a) If there is reason to believe that the certificate or provisional order has been fraudulently obtained or has been granted erroneously or without sufficient examination or

b) if the boiler in respect of which has been granted has sustained injury or has ceased to be in good condition, or

c) if the boiler in charge of a person who is not, having regard to the conditions of the boiler, in the opinion of the Inspector competent to have charge thereof;

provided that when the Chief Inspector withdraws or revokes a ~~xxxxxxxxxx~~ license, or provisional order on the ground specified in Clause c), he shall communicate the owner of the boiler a reasons in writing for the withdrawal or revocation and the order shall not take effect until the expiry of thirty days from the receipt of such communication

Alteration and renewal to boilers.

X) No structural alteration addition or renewal shall be made in or to any boiler or steam pipe attached thereto, registered under this Regulation unless such alterations, additions or renewals have been sanctioned by the Chief Inspector or Inspector.

Duty of the owner at Examination.

XI) (1) On the date fixed under this Regulation for the examination of a boiler, the owner thereof shall be bound,

a) To afford to the Inspector all reasonable facilities for the examination and all such reasonable information as may be reasonably required of him;

b) to have the boiler properly prepared and kept ready for examination in the prescribed manner and,

2) if the owner fails, without reasonable cause, to comply with the sub-section (1) of clause B of section 11, the Inspector shall refuse to examine the boiler and shall report the case to the Chief Inspector, who shall, unless sufficient cause to the contrary is shown, require the owner to file a fresh application under section 6 of section 7 as the case may be with costs to cover the Inspector and his staff's travelling allowances from his headquarters and may forbid him to use the boiler not-with-standing any-thing contained in section 5.

XII. The owner of any boiler who holds a license or a provisional order thereof, shall,

shall, at all reasonable times during the period for which the license or order is in force, be bound to produce the said license when called upon to do so by ~~a~~ the District Magistrate, the Superintendent of Police or ~~a~~ the Local Magistrate having jurisdiction in the area in which the boiler is for the time being or by the Chief Inspector or by an Inspector or by any person specially authorised in writing by the District Magistrate or Superintendent of Police.

XIII) A person who becomes owner of a boiler during the time for which a ~~certificate~~ license/or provisional order therefor is in force shall be entitled to receive the license or provisional order from the preceding owner and shall be subject to provisions of section 12.

XIV) 1) It shall be the duty of the owner or the person in charge of boiler or boilers to report in writing to the Inspector within twenty-four hours of every accident to the boiler or to any steam pipe or to any appertenance attached thereto. Every such report shall contain a true description of the nature of the accident and of the injury, if any, caused thereby to the boiler or to the steam pipe or to any ~~xxx~~ person, and shall be in sufficient detail to enable the Inspector to judge the gravity of the accident.

2) The owner or person in charge of the boiler shall be bound to answer ~~timely~~ truly to the best of his knowledge and ability every question put to him in writing by the Inspector as to the cause, nature and extent of accident

Appeal to the Chief Inspector.

XV
~~15)~~ Any person considering himself aggrieved by:-

a) an order made or purporting to be made by the Inspector in the exercise of any power conferred by or under this Regulation, or,

b) a refusal of an Inspector to make any order or to issue any license which he is required or enabled by or under this Regulation to make or issue,

may within thirty days from the datem on which such order or refusal is communicated to him, may appeal against the order or refusal to the Chief Inspector.

XVI
~~16)~~ Any person considering himself aggrieved by an original or appelate order of the Chief Inspector,

a) refusing to register a boiler or to grant or renew a ~~xxx~~ license in respect of a boiler or

b) refusing to grant a license authorising the use of a boiler at the maximum pressure desired or

c) withdrawing or revoking a license or provisional order, or,

d) reducing the amount of working pressur specified in any license or,

e) ordering any structrual alteration, addition or renewal to be made in or to any boil or steam pipe or refusing sanction to the making of any structural alteration addition or renewal in or to the boiler:

may appeal against the Chief Inspector to the Director of Industries & Commerce in Mysore.

Finality of orders.

~~18~~ XVII An order of the appelate authority under section ~~17~~ 16 and save as otherwise provided in section ~~16~~ 15 and ~~17~~ 16 an order of the Chief Inspector or of an Inspector shall be final and shall not be called upon in any court of law.

Minor penalties.

~~19~~ XVIII Any owner of a boiler who refuses or without reasonable excuse neglects:

i) to surrender a provisional order as required by section 8 or,

ii) to produce a ~~a~~ license or a provision order when duly called upon under section 12;

iii) to make over the license or provisional order to the new owner of a boiler as required by the section 13;

iv) to admit the boiler Inspector at any time for the purpose of inspecting a boiler or steam pipe and to enter any place or building, when he has reason to believe that the same is being used,

shall be punishable with fine which may extend up to one hundred rupees.

~~20~~ XIX 1) any owner of a boiler who, in any case in which a license or provisional order is required for the use of the boiler under this Regulation, uses the boiler either without any such license or order being in force or at a higher pressure than that allowed thereby, or

2) Any person who,

a) uses or permits to be used a boiler of which he is the owner and which has been transferred from one place to another without such transfer having been reported to and order obtained from the Chief Inspector ~~of~~ or Inspector, or,

b) who fails to cause the ~~Registering~~

Registry Number assigned to the boiler being engraved on the boiler within seven days from the date of receipt of the Registry Number or,

c) who makes any structural alteration, additions or renewals without obtaining orders from the Inspector or Chief Inspector, or,

d) who fails to report an accident to a boiler or steam pipe or to any appertunance attached thereto or,

e) who tampers with a safety valve of a boiler so as to render it in-operative at the maximum pressure at which the use of the boiler is authorised under this Regulation or,

f) whoever removes, or alters, defaces, renders invisible or otherwise tampers with the registry number ~~mnkx~~ marked on a boiler in accordance with the provisions of this Regulation, or

g) whoever fraudulently marks upon a boiler a registry number which has not been allowed to it under this Regulation shall be punishable with imprisonment which may extend up to two years or with fine of five-hundred rupees or with both.

~~21~~ XX No prosecution for an offence made punishable by or under the Regulation shall be instituted except within six months from the date of the ~~commission~~ commission of the offence and no such prosecution shall be instituted without the previous sanction of the Chief Inspector.

~~22~~ XXI No offence made punishable by or under this Regulation shall be tried by a court inferior to that of a District Magistrate.

Power to make Rules.

~~23~~ XXII The Government may by notification in the Gazette make rules consistant with the Regulation for all any of the following purposes, viz-,

a) for prescribing the method of determining the maximum pressure at which a boiler may be worked;

b) for regulating the registration of boilers, prescribing the fees payable on a/c of Examination made by Inspector under this ~~therefor~~ regulation at rates not exceeding those prescribed in schedule C, the drawings, specifications, certificates and particulars to be produced by the owner, the method of preparing the boiler for examination, the form of the Inspector's report thereon, the method of marking the registry number and the period within which such number is to be engraved on the boiler;

c) for regulating the inspection and examination of boilers and steam pipes attached thereto and prescribing forms of license therefor.

d) for ensuring the safety of persons working inside a boiler,

e) for requiring boilers to be in charge of persons holding certificates of competency or service and for prescribing the conditions on which such certificates may be granted.

~~24~~ XXIII All fees, costs and penalties levied under this Regulation shall be recoverable as arrears of land revenue.

Director of Industries & Commerce in Mysore, Bangalore.

D/28-2-1936.
ATR)2.

25

SCHEDULE A.

(See section XX VII (3)

MYSORE STEAM BOILERS AND PRIME MOVERS' REGULATION, 1936.

License for use of a Boiler.

Registry Number of Boiler — Type of Boiler

Boiler Rating — Place & Year of manufacture.

Name of owner.

Situation of boiler:

Repairs (when & where)

Remarks

I hereby certify that the above described boiler is permitted by me/the Chief Inspector under the provisions of section VII (3) of the Mysore Steam Boiler and Prime Movers' Regulation...1936, to be worked at a maxm maximum pressure of.....( ) to the square inch for the period from.....to.....

The loading of the.....safety valve is not to exceed.....

I further certify that the main steam pipe was tested hydraulically to a pressure of .....lbs per square inch last on.....

Fee Rs..... Paid on.....

Dated at.....

This.....day of.....19

Inspector.

Countersigned.

Chief Inspector.

Conditions.

1) No structural alteration, addition or renewal shall be made to the boiler in accordance with the section 10 of the Regulation

2) Under the provisions of section VII of the Regulation this license shall

a) on the expiry of the period for which it was granted; or

b) when any accident occures to the boiler, or steam pipe; or

c) when the boiler is moved or shifted from one place to another; or

d) when any structural alteration, addition or renewal is made in or to the boiler; or

e) on the communication to the owner of the boiler of an order of the Chief Inspector or Inspector prohibiting its use on the ground that the boiler or any steam pipe attached thereto is in a dangerous condition;

3) Under section V of the Regulation a boiler may continue to be worked beyond the period of the license issued for it, provided the owner has applied for a renewal of the license before the expiry date and none of the cases specified in clauses (b), (c),(d) and (e) apply to the boiler.

3) The boiler shall not be used at a pressure greater than the pressure entered in the license as a maximum pressure nor with the safety valve set to a pressure exceeding such maximum pressure.

4) The boiler shall not be used otherwise than in a condition which the owner reasonably believes to be compatible with safe working.

SCHEDULE B.
(see section VIII)

COUNTERFOIL.

No.....

Name of person or firm to which provisional order is granted.

escription of boiler.

aker's No. of boiler.

essure permitted.

No.....

PROVISIONAL ORDER UNDER SECTION VIII OF THE MYSORE STEAM BOILERS AND PRIME MOVERS' REGULATION - 1936.

Mr..or.Messrs.....

.....

is/are hereby permitted to use the.... Boiler

(Registry No..... made by .....

.....

and bearing Maker's No.....at a maximum pressu

of.....lbs per square inch pending the issue of

or refusal of a license within six months from the

date hereof.

after which period this order will become void.

Dated..... Inspector of Boilers.

N.B.This order must be produced on demand by any authorised person and surrendered to the Chief Inspector on receipt of orders.

entered
cats

Inspector on receipt of orders

authorised person and surrendered to the Chief
N.B.This order must be produced on demand by an

Dated..... Inspector of Boilers

after which period this order will become void.

date hereof

or refusal of a license within six months from

of.....lbs per square inch pending the issue

and bearing Baker's No.....at a maximum p

(Registry No..... made by.....

is/are hereby permitted to use the.....

.....

.....

Pr..ex.Issued.....

PROVISIONAL ORDER UNDER SECTION VIII OF THE
MINOR ARTICLES (WORKING OF MACHINES) ACT.
REGULATION - 1926.

.....

.....

.....

SCHEDULE C.
(See section V (b)

MAXIMUM RATES OF FEES LEVIABLE FOR EXAMINATIONS OF BOILERS.

		Rs.
1.	For Boiler rating not exceeding 100 ...	40/-
2.	For boiler rating exceeding 100 but not exceeding 300 ...	50/-
3.	For boiler rating exceeding 300 but not exceeding 500 ...	60/-
4.	For boiler rating exceeding 500 but not exceeding 700 ...	70/-
5.	For boiler rating exceeding 700 but not exceeding 900 ...	80/-
6.	For boiler rating exceeding 900 but not exceeding1100 ...	90/-
7.	For boiler rating exceeding 1,100 ...	100/-

N.B. Boiler Rating.

The Boiler Rating shall be the number of square feet (to the nearest whole figure) in the heating surface of the boiler as laid down in the Rules.

Director of Industries & Commerce in Mysore,
Bangalore, 28-2-1936.

For boiler rating not exceeding 100	...	40/-
For boiler rating exceeding 100 but not exceeding 200	...	50/-
For boiler rating exceeding 200 but not exceeding 300	...	60/-
For boiler rating exceeding 300 but not exceeding 500	...	70/-
For boiler rating exceeding 500 but not exceeding 700	...	80/-
For boiler rating exceeding 700 but not exceeding 900	...	90/-
For boiler rating exceeding 900 but not exceeding 1,100	...	100/-

Boiler Rating.

Boiler Rating shall be the number of square feet (to the nearest whole figure) in the heating surface of the boiler as laid down in the Rules.

Director of Insurance & Commerce in Mysore,
Bangalore,28-2-1956

Provisions of the proposed Regulation to consolidate and amend the law relating to the Inpection and Management of Steam-boilers and Prime movers in Mysore. (3)	Remarks.

Whereas it is expedient to provide for the inspection and management of Steam boilers and Prime Movers, His Highness the Maharaja is pleased to enact as follows:-

Section.

1. Short title commncement and extent. (1) This Regulation may be called the Mysore Steam boilers and Prime Movers Regulation of 1936.

(2) It extends to the whole of Mysore.

Limitation of application of Regulation. (3) It shall come into force from such date as the Government, may, by notification in the Official Gazette direct

(4) But nothing in this Regulation shall be deemed to apply to any locomotive engine, boiler or prime mover used upon or appertaining to any railway within the meaning of that word as defined in Section 3, Cl(4) of the Mysore Railway Regulation 1894.

II Definition. In this Regulation unless there is anything repugnant in the subject or context:-

(1) 'Boiler' means any closed vessel used for generating steam under pressure and any apparatus closely attached thereto and affected by steam pressure.

(2) 'Prime Mover' includes any steam engine, steam hammer, fly-wheel, first-driving shaft or pully attached to any such engine and every such appertenance necessary for the safe and efficient working of a Prime mover.

(3) 'Chief Inspector' and 'Inspector' mean respectively a person appointed to be Chief Inspector and Inspector under this Regulation.

(4) 'Owner' includes any agent or hirer using any boiler or prime-mover

(5) 'Steam-Pipe' includes any main pipe exceeding two inches in internal diameter through which steam passes directly from a boiler to a prime mover or other first-user and includes any connected fitting of a steam pipe; and

(6) 'Structural alteration, additional or renewal" shall not be deemed to include any renewal or replacment of a petty nature, when the part or fitting used for replacement is not inferior in strength, efficiency or otherwise to the replaced part or fitting.

Provisions of the existing Regulation No.III of 1920 to provide for the inspection and management of Steam boilers and Prime movers in Mysore.

(1)

Preamble. Whereas it is expedient to provide for the inspection and management of Steam-boilers and Prime movers; His Highness the Maharaja is pleased to enact as follows:-

1. Short title, commencement & extent. (1) This Regulation may be called the Mysore Steam Boilers and Prime Movers Regulation, 1920.

(2) It shall come into force on such date and shall extend to such places and from such date as the Govt. may, by notification in the Official Gazette, direct.

(3) But nothing in this Regulation shall be deemed to apply to any locomotive engine, boiler or prime mover used upon or appertaining to any railway within the meaning of that word as defined in Section 3, Cl.4, of the Mysore Railways Regulation, 1894, or to any boiler used exclusively for domestic purposes at atmospheric pressure or to any boiler or prime mover used in any vehicle or class of vehicles which the Government may, by notification, specify.

In this Regulation, unless there is something repugnant in the subject or context:-
'Boiler' includes any vessel used for generating steam under pressure and any apperatus closely attached thereto and affected by the steam pressure;
'Prime Mover' includes any steam Engine, steamhammer, fly-wheel, first driving shaft or pully attached to any such engine, and every appertenance necessary for the safe and efficient working of a prime-mover;
'Owner' includes any agent or hirer using any boiler or prime mover;

) The Government may, at any time after the passing of this Regulation, appoint such persons to be Inspectors as it thinks fit, and suspend or remove any person so appointed.

Provisions of the Indian Boilers Act of 1923 to consolidate and amend the law relating to Steamboilers.

(2)

Whereas it is expedient to consolidate and amend the law relating to Steam-boilers; it is hereby enacted as follows

1. Short title extent and commencement (1) This Act may be cited as the Indian Boilers Act, 1923.

(2) It extends to the whole of British India including British Baluchistan and Santhal Parganas.

(3) It shall come into force on such date as the Governor General in Council may by notification in the Gazette of India, appoint.

2. Definitions. In this Act, unless there is anything repugnant in the subject or context;-

(a) 'accident' means explosion of a boiler or steampipe or damage to a boiler or any damage to a steampipe, which is calculated to weaken the strength thereof to render it liable to explode;
(b) 'boiler' means any closed vessel exceeding five gallons capacity which is used or intended for generating steam under pressure for use outside such vessel and includes any mounting or other fitting attached to such vessel when wholly or partly under steam or shut off;
(c) 'Chief Inspector' and 'Inspector' mean respectively, a person appointed to be a Chief Inspector or an Inspector under this Act;
(d) 'Owner' includes any person using a boiler as agent or servant for another and any person using a boiler which he has hired or obtained from the owner thereof;
(e) 'prescribed' means prescribed by regulations or rules made under this Act;
(f) 'Steam-pipe' means any pipe exceeding three inches in diameter through which steam passes from a boiler to a prime mover or from a boiler to a first user, and includes any fitting of a steam-pipe;
(g) 'structural alteration or renewal' shall not include any renewal of a small or petty nature, when the same is used for 'replacement' and is not greater in strength, sufficiency or efficiency than the part to the replaced part

been granted is not in good condition or has, since the granting of the license, sustained injury; or

(c) that the registry number is not marked upon the boiler as required by this Regulation.

Appeal against refusal, etc., of license.

13. (1) The owner of any boiler may appeal from any order made under this Regulation refusing to grant, or revoking or suspending, a license.

Presentation of appeal.

(2) The appeal shall within one calendar month from the day on which the owner received the order appealed against, be presented in person or otherwise to the Magistrate of the District in which the boiler is situate.

Issue of summonses in connection with appeal.

(3) The District Magistrate shall, within fifteen days of the receipt of the appeal, publicly enquire into and determine the appeal and shall have the power to issue summonses for the attendance of witnesses and the production of documents, and the provisions of the Code of Criminal Procedure, 1904, shall, so far as applicable, apply to such summonses and the persons so summoned.

Method of hearing appeal.

(4) The District Magistrate shall summon to his assistance, in such manner as the Government may direct, two competent assessors with the necessary practical knowledge and experience; and such assessors shall attend and assist accordingly.

Procedure in case of successful appeal.

(5) If the District Magistrate is satisfied that the owner is entitled to the license, he shall grant a license in such form, as the Government may, by rule, prescribe, or shall cancel the order revoking or suspending the license, as the case may be. He shall furth direct that the expenses of the appeal incurred by the appellant, to such amount as may seem reasonable to him shall be reimburses from the public funds.

Procedure in case of unsuccessful appeal.

(6) If the District Magistrate is of opinion that the order appealed against is right, he shall dismiss the appeal; and he may award any sum not exceeding one hundred rupees to be paid by the appellant as costs; any sum so awarded shall be recoverable from the appellant as if they were arrears of land revenue.

ed, and, where the boiler has been registered, the owner shall within the prescribed period cause the register number to be permanently marked thereon in the prescribed manner.

Renewal of certificate.

8. (1) A certificate authorising the use of a boiler shall cease to be in force-

(a) on the expiry of the period for which it was granted; or

(b) when any accident occurs to the boiler; or

(c) when the boiler is removed, the boil not being a vetical boiler the heating surface of which is less than two hundred square feet, or a portable or vehicular boiler; or

(d) when any structural alteration, addition or renewal is made in or to the boiler; or

(e) if the Chief Inspector in any particular case so directs when any structural alteration, addition or renewal is made in or to any steam pipe attached to the boiler or

(f) on the communication to the owner of the boiler of an order of the Chief Inspector or Inspector prohibiting its use on the ground that it or any steam pipe attached thereto is in a dangerous condition.

(2) Where an order is made under clause (f) of sub-section (1), the grounds on which the order is made shall be communicated to the owner with the order.

(3) When a certificate ceases to be in force, the owner of the boiler may apply to the Inspector for a renewal thereof for suc period not exceeding twelve months as he may specify in the application.

(4) An application under sub-section (3) shall be accompanied by the prescribed fee and, on receipt thereof the Inspector shall fix a date, within thirty days or such shorter period as may be prescribed from the date of the receipt, for the examination of the boiler and shall give the owner thereof not less than 10 days' notice of the date so owner thereof not less than ten days notice of the date so fixed.

3. On the said date the Inspector shall examine the boiler in the prescribed manner and if he is satisfied that the boiler and the steam-pipe or steam pipes attached thereto are in good condition shall issue a renewed license signed by him, in the form prescribed in Schedule A, authorising the use of the boiler for a period not exceeding twelve months and at a pressure not exceeding such maximum pressure as he thinks fit and as is in accordance with the rules framed in this behalf.

Provided that if the Inspector:-

a) proposes to issue any license increasing or reducing the maximum pressure at which the boiler may be used or;

b) proposes to order any structural alteration addition or renewal to be made in or to the boiler or any steam pipe attached thereto, or

c) is of the opinion that the boiler is not fit for use, the Inspector shall, within firty-eight hours of making the examination inform the owner in writing of his opinion and the reasons therefor and shall forthwith report the case for orders to the Chief Inspector;

4. The Chief Inspector, on receipt of a report under sub-section 3, may, subject to the provisions of this Regulation and rules order the renewal of the license in such terms and on such conditions, if any, as he thinks fit or may refuse to renew it:-

provided where the Chief Inspector refuses to renew a license, he shall forthwith communicate his refusal to the owner of the boiler together with the reasons therefor.

5. Nothing in this section shall be deemed to prevent any owner of a boiler from applying for a renewed license therefor at any time during the currency of a License.

(2) A person who becomes owner of a boiler during the time for which a license therefor is in force shall be entitled to receive the license from the preceding owner and shall be subject to the provisions of clause (1) of this section.

(3) If at any time during the period for which a license has been granted under section 7 or section 13, any structural alteration or important renewal is made in any part of the boiler to which such license relates, it shall be the duty of the owner of such boiler to give notice in writing of such alteration or renewal to the Inspector of Boilers before the same is begun.

11. (1) It shall be the duty of every owner of, or person in charge of, the boiler to report in writing to the Inspector of boilers within twelve hours of its occurrence every accident to the boiler or to any apparatus attached thereto which is calculated to weaken the strength of such boiler or to render it liable to explode.

(2) Every such report shall contain a true description of the nature of the accident and of the injury thereby caused sufficient to enable the Inspector of Boilers to judge of the gravity of the accident.

(3) The owner of, or person in charge of, the boiler shall be bound and answer truly to the best of his knowledge and ability every question put to him in writing by the Inspector of Boilers as to the cause, nature and extent of the accident.

12. Any person authorised by the Government in this behalf may revoke or suspend any license granted under this Regulation in respect of any boiler when he has reason to believe:-

(a) that the license has been fraudulently obtained, or has been granted erroneously or without sufficient examination; or

(2) On receipt of an application under sub-section(1) the Inspector shall fix a date, within thirty days or such shorter period as may be prescribed from the date of the receipt, for the examination of the boiler and shall give the owner thereof not less than 10 days notice of the date so fixed.

(3)On the said date the Inspector shall proceed to measure and examine the boiler and to determine in the prescribed manner the maximum pressure, if any, at which such boiler may be used, and shall report the result of the examination to the Chief Inspector in the prescribed form.

(4) The Chief Inspector on receipt of the report may --

(a) register the boiler and assign a register number thereto either forthwith or after satisfying himself that any structural alteration, addition or renewal which he may deem necessary has been made in or to the boiler or any steam-pipe attached thereto, or

(b) refuse to register the boiler:

Provided that where the Chief Inspector refuses to register a boiler, he shall forthwith communicate his refusal to the owner of the boiler together with the reasons therefor.

(5) The Chief Inspector shall, on registering the boiler, order the issue to the owner of a certificate in the prescribed form authorising the use of the boiler for a period not exceeding twelve months at a pressure not exceeding such maximum pressure as he thinks fit and as in accordance with the Regulations made under this Act.

(6) The Inspector shall forthwith convey to the owner of the boiler the orders of the Chief Inspector and shall in accordance therewith issue to the owner any certificate

owner of the boiler together with the reasons therefor.

5. The Chief Inspector shall, on registering the boiler order the issue to the owner of a license in the prescribed form authorising the use of the boiler for a period of 12 months at a pressure not exceeding such maximum pressure as he thinks fit, and as is in accordance with the provisions prescribed in the Rules under this Regulation.

6. The Inspector shall forthwith convey to the owner of the boiler the orders of the Chief Inspector and issue necessary license together with the Register number assigned which the owner shall in the prescribed form cause (it) to be permanently engraved on an integral part of the boiler pointed out by the Inspector within seven days from the date of receipt of the Register number.

(VII 1. A license authorising the use of a boiler shall cease to be in force:-

a) on the expiry of the period for which it was granted;

b) when any accident occurs to the boiler or steampipe or,

c) when the boiler is moved or shifted from one place to another, or

d) when any structural alteration, addition or renewal is made in or to the boiler or,

e) on the communication to the owner of the boiler of an order of the Chief Inspector prohibiting its use on the ground that the boiler or any steam pipe attached thereto is in a -- dangerous condition.

2. When a certificate ceases to be in force, the owner of the boiler may apply to the Inspector for renewal thereof for such period not exceeding twelve months with the prescribed fee and on the receipt thereof, the Inspector shall

of service may be granted to persons possessing proved practical skill.

person who satisfies them that he has served for a period of not less than three years in actual charge and management of a boiler and that he is possessed of adequate practical skill for such work grant to him a certificate of service to the effect that he is qualified to the like extent as the holder of a certificate of competency of any class which the Board in such certificate of service specifies.

(2) A certificate of service so granted shall have the same effect as a certificate of competency granted under this regulation.

Cancellation or suspension of certificate after enquiry.

20.(1) If, on an enquiry conducted under this Regulation, it shall be established to the satisfaction of Government that the holder of any certificate granted under this Regulation is incompetent or is addicted to drunkenness, or has been guilty of any serious misconduct or negligence, the Government may cancell such certificate, or suspend the same for such time as it shall deem fit.

Pending enquiry holder to surrender certificate.

(2) The holder of such certificate shall surrender it pending the result of the enquiry, and, should he fail to do so, the Government may cancel the certificate by notification in the Official Gazette.

Duplicates of certificates may be given.

21. Whenever the holder of a certificate granted under this Regulation proves to the satisfaction of Government that such certificate has been lost or destroyed, the Government may direct that a duplicate of the same shall be issued; such duplicates shall have the same validity as the original certificate.

Penalties.

22.(1) Any owner of a boiler, who fails to report as required by section 10, any structural alteration or renewal thereof; and

(2) Every owner of, or person in charge of any boiler who --

(a) uses that boiler in contravention of t provisions of Section 4 or in contravention of the terms of the license granted under Section 7, or

(b) fails to produce a license when called upon to do so under Section 10 of this Regulation, or

(7) Nothing in this section shall be deemed to prevent an owner of a boiler from applying for a renewed certificate therefor at any time during the currency of a certificate.

Provisional Orders.

9. Where the Inspector reports the case of any boiler to the Chief Inspector under sub-section(3) of section 7 or sub-section (5) of Section 8, he may, if the boiler is not a boiler the use of which has been prohibited under clause (f) of sub-section (1) of section 8, grant to the owner thereof a provisional order in writing permitting the boiler to be used at a pressure not exceeding such maximum pressure as he thinks fit and as is in accordance with the regulations made under this Act pending the receipt of the orders of the Chief Inspector. Such provisional order shall cease to be in force -

(a) on the expiry of six months from the date on which it is granted, or

(b) on receipt of the orders of the Chief Inspector, or

(c) in any of the cases referred to in clause (b),(c),(d),(e) and (f) of sub-section(1) of section 8,

and on so ceasing to be in force shall be surrendered to the Inspector.

Use of boiler pending grant of certificate.

(10). (1) Notwithstanding anything hereinbefore contained, when the period of a certificate relating to a boiler has expired, the owner shall, provided that he has applied before the expiry of that period for a renewal of the certificate be entitled to use the boiler at the maximum pressure entered in the former certificate pending the issue of orders on the application.

(2) Nothing in sub-section (1) shall be deemed to authorise the use of a boiler in any of the cases referred to in clauses (b),(c),(d),(e) and (f) of sub-section (1) of section 8 occurring after the expiry of the period of the certificate.

Alteration and renewal to boilers.

X) No structural alteration addition or renewal shall be made in or to any boiler or steam pipe attached thereto, registered under this Regulation unless such alterations, additions or renewals have been sanctioned by the Chief Inspector or Inspector.

Duty of the owner at Examination.

XI) (1) On the date fixed under this Regulation for the examination of a boiler, the owner thereof shall be bound,

a) To afford to the Inspector all reasnable facilities for the examination and all such reasonable information as may be reasonably required of him;

b) to have the boiler properly prepared and kept ready for examination in the prescribed manner and,

(2) If the owner fails, without reasonable cause to comply with the sub-section (1) of clause B of section 11, the Inspector shall refuse to examine the boiler and shall report the case to the Chief Inspector, who shall, unless sufficient cause to the contrary is shown, require the owner to file a fresh application under section 6 of section 7 as the case may be with costs to cover the Inspector and his staff's travelling allowances from his headquarters and may forbid him to use the boiler not-withstanding anything contained in section 5.

Owner to produce Licenses when called upon.

XII. The owner of any boiler who holds a license or a provisional order thereof, shall, at all reasonable times during the period for which the license or order is in force, be bound to produce the said license when called upon to do so by the District Magistrate, the Superintendent of Police or the Local Magistrate having jurisdiction in the area in which the boiler is for the time being or by the Chief Inspector or by an Inspector or by any person specially authorised in writing by the District Magistrate or Superintendent of Police.

Transfer of License on change of ownership.

XIII) A person who becomes owner of a boiler during the time for which a license or provisional order therefor is in force shall be entitled to receive the license or provisional order from the preceding owner and shall be subject to provisions of Section 12.

Inspector may enter place or building.

14. An Inspector may at any time, for the purpose of inspecting a boiler, enter into any place or building where he has reason to believe that the same is being uses.

Government may require certificates of competency.

15. The Government may, by notification in the Official Gazette, direct that, from a date specified and within any defined local area, no boiler shall be used unless it is in the direct and immediate management and charge of a person certified under this Regulation, as hereinafter provided, to be competent for the charge thereof.

Government to make rules for conduct of examinations for certificates and to appoint examiners.

16. Subject to the provisions of Section 18, certificates of competency for such charge shall be granted only after examinations conducted under rules framed by Government under Section 24 (d) of this Regulation.

The examiners shall be appointed by Government; provided that in no case shall an Inspector appointed under this Regulation be nominated as an examiner.

Certificates may be of different classes.

17. Certificates of competency may be of different classes and shall qualify the holders thereof to manage or be in charge of boilers of such capacities or kinds as may be prescribed in the rules framed under Section 24 (c).

Possession of certain other certificates to entitle holders to certificates under this Regulation.

18. (1) If any person holds a certificate of competency granted under the provisions of any law in British India, or in the United Kingdom or in any British Colony or any other place approved by Government, he shall be entitled to receive a certificate of competency as aforesaid, without undergoing examination.

(2) The certificate granted under this section shall be of such class as the examiners appointed under Section 16, on a consideration of the nature of the certificate held, shall determine.

provided that, where the certificate had to be in force owing to the making of structural alteration, addition or, the Chief Inspector may dispense the payment of any fee.

(5) On the said date the Inspector shall examine the boiler in the prescribed manner and if he is satisfied that the boiler and the steam pipe or steam pipes attached thereto are in good condition shall issue a renewed certificate authorising the use of the boiler for such period not exceeding twelve months and at a pressure not exceeding such maximum pressure as he thinks fit and as is in accordance with the regulations made under this Act:

Provided that if the Inspector:-

(a) propose to issue any certificate
(1) having validity for a less period than the period entered in the application, or
) increasing or reducing the maximum pressure at which the boiler may be used, or

(b) proposes to order any structural alteration, addition or renewal to be made in or to the boiler or any steam-pipe attached thereto, or

(c) is of opinion that the boiler is not fit for use,

the Inspector shall, within forty-eight hours of making the examination inform the owner of the boilers in writing of his opinion and the reasons therefor, and shall forthwith report the case for orders to the Chief Inspector.

(6) The Chief Inspector, on receipt of a report under sub-section (5) may, subject to the provisions of this Act and of the regulations made hereunder, order the renewal of the certificate in such terms and on such conditions, if any, as he thinks fit, or may refuse to renew it;

Provided that where the Chief Inspector refuses to renew a certificate, he shall forthwith communicate his refusal to the owner of the boiler together with the

VIII When the Inspector reports the case of any boiler to the Chief Inspector under sub-section 3 of section 6, or sub-section 3 of section 7, he may, if the boiler is not a boiler the use of which has been prohibited under clause (e) of sub-section (1) of section 7, grant to the owner thereof a provisional order in the form prescribed in Schedule B, in writing permitting the boiler to be used at a pressure not exceeding such maximum pressure as he thinks fit and as is in accordance with the Rules framed in this behalf pending the receipt of the orders of the Chief Inspector. Such provisional order shall cease to be in force

a) on the expiry of six months from the date on which it is granted or,

b) on receipt of the orders of the Chief Inspector, or,

c) in any of the cases referred in clauses (b) (c) (d) and (e) of the sub-section (1) of section

and on so ceasing to be in force shall be surrendered to the Inspector.

(IX) the Chief Inspector may at any time withdraw or revoke any certificate or provisional order on the report of an Inspector or otherwise

a) If there is reason to believe that the certificate or provisional order has been fraudulently obtained or has been granted erroneously or without sufficient examination or

b) if the boiler in respect of which, it has been granted has sustained injury or has ceased to be in good condition, or

c) if the boiler is in charge of a person who is not, having regard to the conditions of the boiler in the opinion of the Inspector, competent to have charge thereof;

provided that when the Chief Inspector withdraws or revokes a license, or provisional order on the ground specified in Clause (c), he shall communicate the owner of the boiler his reasons in writing for the withdrawal or revokation and the order shall not take effect until the expiry of thirty days from the receipt of such communication

Regulation may be applied to prime-movers by notification.

25. The Government may, by notification, apply so much of this Regulation as relates to the licensing, inspection or management of boilers to prime-movers generally, or to prime-movers of any particular class, in any local area in which this Regulation is, at the time, in force.

SCHEDULE A.

(See Section 7.)

Form of license.

Name of owner.	Registry number & description of boiler and age.	Power	When and where made.	When and last repaired	Time for which this license is to be in force.	Maximum pressure at which the boiler may be worked.	Remarks

I, the undersigned, certify that I have examined the boiler above described, and, to the best of my judgment, it is in good condition, and is not so exposed as to be likely to be dangerous.

INSPECTOR.

SCHEDULE B.

See Section 24 (b).)

es of fees leviable for examination of boilers.

	Rs.
1. For the examination of each boiler not exceeding 10 horse power nominal.	15
2. For the examination of each boiler exceeding 10 but not exceeding 20 horse-power nominal	20
3. For the examination of each boiler exceeding 20 but not exceeding 30 horse power nominal	30

Alterations and renewals to steam-pipes.

13. Before the owner of any boiler registered under this Act makes any structural alteration, addition or renewal in or to any steam-pipe attached to the boiler, he shall transmit to the Chief Inspector a report in writing of his intention, and shall send therewith such particulars of the proposed alteration, addition or renewal as may be prescribed.

Duty of owner at examination.

14. (1) On any date fixed under this Act for the examination of a boiler, the owner thereof shall be bound --

(a) to afford to the Inspector all reasonable facilities for the examination and all such information as may reasonably be required of him;

(b) to have the boiler properly prepared and ready for examination in the prescribed manner; and

(c) in the case of an application for the registration of a boiler to provide such drawings, specifications, certificates and other particulars as may be prescribed.

(2) If the owner fails, without reasonable cause, to comply with the provisions of sub-section (1), the Inspector shall refuse to make the examination and shall report the case to the Chief Inspector who shall, unless sufficient cause to the contrary is shown, require the owner to file a fresh application under section 7 or section 8, as the case may be and may forbid him to use the boiler notwithstanding anything contained in section 10.

Finality of orders.

XVII. An order of the appelate authority under section 16 and save as otherwise provided in sections 15 and 16, an order of the Chief Inspector or of an Inspector, shall be final and shall not be called upon in any court of law.

Minor penalties.

XVIII. Any owner of a boiler who refuses or without reasonable excuse neglects:

i) to surrender a provisional order as required by section 8 or,

ii) to produce a license or a provisional order when duly called upon under section 12;

iii) to make over the license or provisional order to the new owner of a boiler as required by (the) section 13;

iv) to admit the boiler inspector at any time for the purpose of inspecting a boiler or steam pipe and to enter any place or building, when he has reason to believe that the same is being used,

shall be punishable with fine which may extend up to one hundred rupees.

XIX. 1) any owner of a boiler who, in any case in which a license or provisional order is required for the use of the boiler under this Regulation, uses the boiler either without any such license or order being in force or at a higher pressure than that allowed thereby, or

2) Any person who,

a) uses or permits to be used a boiler of which he is the owner and which has been transferred from one place to another without such transfer having been reported to and order obtained from the Chief Inspector or Inspector, or,

b) who fails to cause the Registry Number assigned to the boiler being engraved on the boiler

(c) within a local area defined under Section 15 allows any boiler to be used when not under the direct and immediate management and in charge of a person duly certified as competen under this Regulation, or

(d) fails to report, as required by Section 11 any accident of the kind mentioned in that section and

(3) every person, who prevents an Inspector from entering, under section 14, any place or building, shall be punished with a fine which may extend to five hundred rupees.

Charges not to be brought after six months.

23. No charge of any offence under this Regulation shall be brought against any person after the expiration of six months from the date of the commission of the offence.

Power to make rules after publication.

24. The Government may, at any time after the passing of this Regulation, after previous publication, make rules consistent with this Regulation for all or any of the following purposes (that is to say):-

(a) for prescribing the qualifications, powers, duties, mutual relations and official subordination of Inspectors and of officers authorised to revoke and suspend licenses under section 12;

(b) for fixing the fees payable on account of examinations made by Inspectors under this Regulation at rates not exceeding those prescribed in Schedule B;

(c) for regulating the grant and record of certificates of competency and of service;

(d) for the conduct of examinations for such certificates and for regulating the fees to be charged for admission to the same;

(e) for providing for enquiry into an allegation of drunkenness, misconduct or negligence on the part of the holder of a certificate of competency or service;

Revocation of certificate or provisional order.

11. The Chief Inspector may at any time withdraw or revoke any certificate or provisional order or provisional order on the report of an Inspector or otherwise -

(a) if there is reason to believe that the certificate or provisional order has been fraudulently obtained or has been granted erroneously or ~~mx~~ without sufficient examination; or

(b) if the boiler in respect of which it has been granted has sustained injury or has ceased to be in good condition or

(c) where the Local Government has made rules requiring that boilers shall be in charge of persons holding certificates of competency, if the boiler is in charge of a person not holding the certificate required by such rules, or

(d) where no such rules have been made if the boiler is in charge of a person who is not, having regard to the condition of the boiler, in the opinion of the Chief Inspector competent to have charge thereo..

Provided that where the Chief Inspector withdraws or revokes a certificate or provisional order on the ground specified in clause (d), he shall communicate to the owner of the boiler his reasons in writing for the withdrawal or revocation, and the order shall not take effect until the expiry of thiry days from the receipt of such communication.

Alterations and renewals to boilers.

12. No structural alteration, addition or renewal shall be made in or to any boiler registered under this Act unless such alteration addition or renewal has been sanctioned in writing by the Chief Inspector

ort of idents to the Inspector by the owner or ~~person~~ in charge.

(XIV)(1) It shall be the duty of the owner or the person in charge of boiler or boilers to report in writing to the Inspector within twenty-four hours of every accident to the boiler or to any steam pipe or to any appert ance attached thereto. Every such report shall contain a true description of the nature of the accident and of the injury, if any, caused thereby to the boiler or to the steampipe or to any person, and shall be in sufficient detail to enable the Inspector to judge the gravity of the acc dent.

(2) The owner or person in charge of the boiler shall be bound to answer truly to the best of his knowledge and ability every question put to him in writing by the Inspector as to the cause, -- nature and extent of accident.

~~al~~ to the Chief Inspector.

XV. Any person considering himself aggrive by:-

a) an order made or purporting to be made by the Inspector in the exercise of any power conferred by or under this Regulation, or,

b) a refusal of an Inspector to make any order or to issue any license which he is required or enabled by or under this Regulation to make or issue,

may, within thirty days from the date on which such order or refusal is communicated to him, (may appeal against the order or refusal to the Chief Inspector.

Appeal to appellate Authority.

XVI. Any person considering himself aggrived b an original or appelate order of the Chief Inspector,

a) refusing to register a boiler or to grant o renew a license in respect of a boiler, or,

b) refusing to grant a license authorising the use of a boiler at the maximum pressure desired o

c) withdrawing or revoking a license or provisional order, or,

d) reducing the amount of working pressure spe

Inspector as to the cause, nature or extent of the accident.

Appeals to Chief Inspector.

19. Any person considering himself aggrieved by

(a) an order or purporting to be made by an Inspector in the exercise of any power conferred by or under this Act, or

(b) a refusal of an Inspector to make any order or to issue any certificate which he is required or enabled by or under this Act to make or issue,

may, within thirty days from the date on which such order or refusal is communicated to him, appeal against the order or refusal to the Chief Inspector.

Appeals to appellate authority.

20. Any person considering himself aggrieved by an original or appellate order of the Chief Inspector --

(a) refusing to register a boiler or to grant or renew a certificate in respect of a boiler; or

(b) refusing to grant a certificate having validity for the full period applied for; or

(c) refusing to grant a certificate authorising the use of a boiler at the maximum pressure desired; or

(d) withdrawing or revoking a certificate or provisional order; or

(e) reducing the amount of pressure specified in any certificate or the period for which such certificate has been granted; or

(f) ordering any structural alteration, addition or renewal to be made in or to a boiler or steam-pipe, or refusing sanction to the making of any structural alteration addition or renewal in or to a boiler,

may within thirty days of the communication to him of such order, lodge with the Chief Inspector an appeal to an appellate authority to be constituted by the Local Government under this Act.

Finality of orders.

21. An order of an appellate authority under section 20 and, save as otherwise provided in sections 19 and 20, an order of the Chief Inspector or of an Inspector shall be final and shall not be called in question in any Court.

of preparing the boiler for examination, the form of the Inspector's report thereon, the method of marking the registry number and the period within which such number is to be engraved on the boiler;

c) for regulating the inspection and examination of boilers and steam pipes attached thereto and prescribing forms of license therefor.

d) for ensuring the safety of persons working inside a boiler,

e) for requiring boilers to be in charge of persons holding certificates of competency or service and for prescribing the conditions on which such certificates may be granted.

XXIII. All fees, costs and penalties levied under this Regulation shall be recoverable as arrears of land

Rs.

4. For the examination of each boiler exceeding 30 but not exceeding 50 horse-power nominal 40

5. For examination of each boiler exceeding 50 horse-power nominal

Production of certificates, etc.,

15. The owner of any boiler who holds a certificate or provisional order relating thereto shall, at all reasonable times during the period for which the certificate or order is in force, be bound to produce the same when called upon to do so by a District Magistrate Commissioner of Police or Magistrate of the first class having jurisdiction in the area in which the boiler is for the time being or by the Chief Inspector or by an Inspector or by an Inspector appointed under the Indian Factories Act, 1911, or by any person special authorised in writing by a District Magistrate or Commissioner of Police.

Transfer of certificates etc.,

16. If any person becomes the owner of a boiler during the period for which a certificate or provisional order relating thereto is in force, the preceding owner shall be bound to make over to him the certificate or provisional order.

Powers of entry.

17. An Inspector may for the purpose of inspecting or examining a boiler or any steam pipe attached thereto or of seeing that any provision of this Act or of any regulation or rule made hereunder has been or is being observed, at all reasonable times enter any place or building within the limits of the area for which he has been appointed in which he has reason to believe that a boiler is in use.

Report of accidents.

18. (1) If any accident occurs to a boiler or steam pipe, the owner or person in charge thereof shall, within twenty-four hours of the accident, report the same in writing to the Inspector. Every such report shall contain a true description of the nature of the accident and of the injury, if any, caused thereby to the boiler or to the steam pipe or to any person, and shall be in sufficient detail to enable the Inspector to judge of the gravity of the accident.

(2) Every person shall be bound to answer

within seven days from the date of receipt of the Registry Number or,

c) who makes any structural alteration, additions or renewals without obtaining orders from the Inspector or Chief Inspector, or,

d) who fails to report an accident to a boiler or steam pipe or to any appertenance attached thereto or,

e) who tampers with a safety valve of a boiler so as to render it in-operative at the maximum pressure at which the use of the boiler is authorised under this Regulation or,

f) whoever removes, or alters, defaces, renders invisible or otherwise tampers with the registry number marked on a boiler in accordance with the provisions of this Regulation, or

g) whoever fraudulently marks upon a boiler a registry number which has not been allowed to it under this Regulation shall be punishable with imprisonment which may extend up to two years or with fine of five hundred rupees or with both.

Limitation and previous sanction for prosecutions.

XX. No permission for an offence made punishable by or under the Regulation shall be instituted except within six months from the date of the commission of the offence and no such prosecution shall be instituted without the previous sanction of the Chief Inspector.

Trial of offence.

XXI. No offence made punishable by or under this Regulation shall be tried by a court inferior to that of a District Magistrate.

Power to make Rules.

XXII. The Government may by notification in the Gazette make rules consistent with the Regulation for all or any of the following purposes, viz.,

a) for prescribing the method of determining th maximum pressure at which a boiler may be worked;

b) for regulating the registration of boilers prescribing the fees payable on account of examination made by Inspector under this Regulation at rates not exceeding those prescribed in Schedule C;

Penalty for tampering with register mark.

25. (1) Whoever removes, alters, defaces renders invisible or otherwise tampers with the register number marked on a boiler in accordance with the provisions of this Act or any Act repealed hereby shall be punishable with fine which may extend to five hundred rupees.

(2) Whoever fraudently marks upon a boiler a register number which has not been allotted to it under this Act or any Act repealed hereby shall be punishable with imprisonment which may extend to two years, or with fine, or with both.

Limitation and previous sanction for prosecutions.

26. No prosecution for an offence made punishable by or under this Act shall be instituted except within six months from the date of the commission of the offence and no such prosecution shall be instituted without the previous sanction of the Chief Inspector.

Trial of offences.

27. No offence made punishable by or under this Act shall be tried by a Court inferior to that of a Presidency Magistrate or a Magistrate of the first class.

Power to make regulations.

28. The Governor General in Council may, by notification in the Gazette of India, make regulations consistent with this Act for all or any of the following purposes, namely:-

(a) for laying down the standard conditions in respect of material, design and construction which shall be required for the purpose of enabling the registration and certification of a boiler under this Act;

(b) for prescribing the method of determining the maximum pressure at which a boiler may be used;

(c) for regulating the registration of boilers, prescribing the fees payable therefor, the drawings, specifications, certificates and particulars to be produced by the owner, the method of preparing a boiler for examination, the form of the Inspector's report thereon, the method of marking the register number, and the period within which such number is to be marked on the boiler;

(d) for regulating the inspection and examina-

Conditions.

1) No structural alteration, addition or renewal shall be made to the boiler in accordance with the section 10 of the Regulation.

2) Under the provisions of section VII of the Regulation this license shall cease to be in force:-

a) on the expiry of the period for which it was granted;

b) when any accident occurs to the boiler, or steam pipe;

c) when the boiler is moved or shifted from one place to another; or

d) when any structural alteration, addition or renewal is made in or to the boiler; or

e) on the communication to the owner of the boiler of an order of the Chief Inspector or Inspector prohibiting its use on the ground that the boiler or any steam pipe attached thereto is in a dangerous condition;

Under Section V of the regulation a boiler may continue to be worked beyond the period of the license issued for it, provided the owner has applied for a renewal of the license before the expiry date and none of the cases specified in clauses (b) (c), (d) and (e) apply to the boiler.

3) The boiler shall not be used at a pressure greater than the pressure entered in the license as a maximum pressure nor with the safety valve set to a pressure exceeding such maximum pressure

4) The boiler shall not be used otherwise than in a condition which the owner reasonably believes to be compatible with safe working.

Minor penalties.

22. Any owner of a boiler who refuses or wi
out reasonable excuse neglects --
(i) to surrender a provisiona order as re
ed by section 9, or
(ii) to produce a certificate or provisiona
order when duly called upon to do so u
Section 15 or
(iii) to make over to the new owner of a boiler
a certificate or provisional order as re-
quired by section 16,
shall be punishable with fine which may extend to
one hundred rupees.

Penalties for illegal use of boiler.

23. Any owner of a boiler who, in any case in which a certificate or provisional order is required for the use of the boiler under this Act, uses the boiler either without any such certificate or order being in force or at a higher pressure than that allowed thereby, shall be punishable with fine which may extend to five hundred rupees, and in the case of a continuing offence with an additional fine which may extend to one hundred rupees for each day after the first day in regard to which he is convicted of having persisted in the offence.

Other penalties.

24. Any person who --
(a) uses or permits to be used a boiler of which he is the owner and which has been transferred from one province to another without such transfer having been reported as required by section 6, or
(b) being the owner of a boiler fails to cause the register number allotted to the boiler under this Act to be marked on the boiler as required by sub-section(6) of section 7, or
(c) makes any structural alteration, addition or renewal in or to a boiler without first obtaining the sanction of the Chief Inspector when so required by section 12, or to a steam-pipe without first informing the Chief Inspector, when so required by section 13, or
(d) fails to report an accident to a boiler or steam-pipe when so required by section 18, or
(e) tampers with a safety valve of a boiler so as to render it inoperative at the maximum pressure at which the use of the boil

SCHEDULE A.

(See Section VII (3))

MYSORE STEAM BOILERS AND PRIME MOVERS' REGULATION -1936

License for use of a Boiler

Registry Number of Boil — Type of Boiler

Boiler Rating — Place and year of manufacture.

Name of owner.

Situation of boiler

Repairs(when and where)

Remarks

I hereby certify that the above described boiler is permitted by me/the Chief Inspector under the provisions of sections VI and VII (3) of the Mysore Steam Boiler and Prime Movers'Regulation .....1936 to be worked at a maximum pressure of .....( ) to the square inch for the period from .....to..... .....:

The loading of the ..... valve is not to exceed .....safety

I further certify that the main steam pipe was tested hydraulically to a pressure of .....lbs per square inch last on ....

Fee Rs..... Paid on .....
Dated at .....
This .....day of .....19 .

this Act; and

(j) generally to provide for any matter which is, in the opinion of the Local Government, a matter of merely local importance in the province:

Provided that the previous sanction of the Governor General in Council shall be required to the making of any rule under clause (j).

Penalty for breach of rules.

30. Any regulation or rule made under section 28 or section 29 may provide that a contravention thereof shall be punishable with fine which may extend to one hundred rupees.

Publication of regulation and rule

31. (1) The power to make regulations and rules conferred by sections 28 and 29 shall be subject to the condition of the regulations and rules being made after previous publication.

(2) Regulations and rules so made shall be published in the Gazette of India and the local official gazette, respectively, and, on such publication, shall have effect as if enacted in this Act.

Recovery of fees etc.,

32. All fees, costs and penalties levied under this Act shall be recoverable as arrears of land revenue.

Applicability to the Crown.

33. Save as otherwise expressly provided, this Act shall apply to boilers and steam-pipes belonging to the Crown.

Power to suspend in case of emergency

~~33. Save as otherwise expressly provided, this Act shall apply to boilers and steam-pipes belonging to the Crown.~~

Power to suspend in case of emergency.

34. In case of an emergency, the Local Government may, by general or special order in writing exempt any boiler or steam-pipe from the operation of all or any of the provisions of this Act

Repeal of Enactments.

35. On and from the commencement of this Act the enactments mentioned in the Schedule shall be repealed to the extent specified in the fourt column thereof:

examination of boilers and steam-pipes, and prescribing forms of certificates therefor;

(for ensuring the safety of persons working inside a boiler; and

(for providing for any other matter which is not, in the opinion of the Governor General in Council, a matter of merely local or provincial importance.

Power to make rules.

29. The Local Government may, by notification the local official Gazette, make rules content with this Act and the regulations made reunder for all or any of the following purses, namely:-

(a) for prescribing the qualifications and duties of the Chief Inspector and of Inspectors, for regulating their salary allowances and conditions of service for prescribing or constituting authorities to which they shall respectively be subordinate, and the limits of the administrative control to be exercised by such authorities;

(b) for regulating the transfer of boilers;

(c) for providing for the registration and certification of boilers in accordance with the regulations made under this Act.

(d) for requiring boilers to be in charge of persons holding certificates of competency and for prescribing the conditions on which such certificates may be granted;

(e) for prescribing the times within which Inspectors shall be required to examine boilers under section 7 or section 8;

(f) for prescribing the fees payable for the issue of renewed certificates and the method of determining the amount of such fees in each case;

(g) for regulating inquiries into accidents;

(h) for constituting the appellate authority referred to in section 20 and for determining its powers and procedure;

Counterfoil. No. ..... al

No.....

Name of person or firm to which provisional order is granted,

Description of boiler.

Maker's No. of boiler.

Pressure permitted.

PROVISION ORDER UNDER SECTION VIII OF THE MYSORE STEAM BOILERS AND PRIME MOVERS' REGULATION 1936.

Mr. or Messrs.....
.....
is/are hereby permitted to use the .....
Boiler (Registry No..... made by .....
.....
and bearing Maker's No..... at a maximum pressure of .....lbs per square inch pending the issue of or refusal of a license within six months from the date hereof.

after which period this order will become void.

Dated ..... Inspector of Boilers

N.B. This order must be produced on demand by any authorised person and surrendered to the Chief Inspector on receipt of orders

---

SCHEDULE C.
(See Section V (b)

Maximum Rates of Fees leviable for examinations of Boilers.

	Rs.
1. For boiler rating not exceeding 100	40/-
2. For boiler rating exceeding 100 but not exceeding 300	50/-
3. For boiler rating exceeding 300 but not exceeding 500	60/-
4. For boiler rating exceeding 500 but not eceeding 700	0/-
5. For boiler rating exceeding 700 but not exceeding 900	0/-
6. For boiler rating exceeding 900 but not exceeding1100	90/-
7. For boiler rating exceeding1100	100/-

N.B.-Boiler Rating.

Bengal Acts.	
The Bengal Steam-boilers and Prime-movers Act, 1879	The whole
The Bengal Steam-boilers and Prime-movers (Amendment) Act, 1915.	The whole
United Provinces Act.	
The United Provinces Steam-boilers Act, 1915.	The whole
Punjab Act.	
The Punjab Steam-boilers and Prime-movers Act, 1902.	The whole
Central Provinces Acts.	
The Central Provinces Boiler Inspection Act, 1907.	The whole
The Central Provinces Boiler Inspection (Amendment) Act, 1919.	The whole
Burma Acts.	
The Burma Steam-boilers and Prime-movers Act, 1910.	The whole

		cts of the Governor General in Council.	
1903		Indian Amending Act, 1903.	So much of the First Schedule as relates to the Bengal Steam boilers and Prime movers Act, 1879.
1920	XXXVIII	The Devolution Act, 1920	So much of the First Schedule as relates to the Bengal Steam boilers and Prime movers Act, 1879.
		Madras Act.	
1893	III	The Madras Steam-boilers and Prime-movers Act, 1893.	The whole.
1904		The Madras Steam-boilers and Prime-movers (Amendment) Act, 1904.	The whole.
1909	VI	The Madras Steam-boilers and Prime-movers (Amendment) Act, 1909.	The whole.
		Bombay Acts.	
1917		The Bombay Boiler Inspection Act 1917.	The whole

Payment of fees for examination.

(4) Every person giving a notice under this section shall simultaneouly pay the fees prescribed for the examination by a rule made under section 24.

Inspector may require owner to alter boiler.

6. If, on making the examination under section 5 the Inspector is of opinion that the boiler requires in view to safe working, any alteration or addition, he shall refuse to grant a license until the alteration or addition is made, and shall serve on the owner of the boiler within forty-eight hours of his examination a written notice of his refusal, specifying the alteration or addition which, in his opinion, is required.

When Inspector to grant license.

7. When the Inspector is satisfied that the boiler is in good condition and not so exposed as to be likely to be dangerous, he shall give to the owner thereof a written license, signed by him, in the form prescribed in Schedule A hereto annexed or in a form to the like effect.

Period of license.

No such license shall remain in force for more than twelve months.

License to state certain particulars.

8. Every license granted under this Regulation shall state the period for which it is to continue in force, and shall cease to be in force on the expiration of that period. Such license shall also state the pressure beyond which the boiler may not be worked.

Boiler to be registered and marked with registry number.

9. On granting a license under Section 7, the Inspector shall register the boiler in such form as the Government may prescribe and shall allot to it a number to be called the registry number of the boiler. The registry number shall be communicated to the owner, and shall, within such reasonable period as the Inspector may direct, be permanently marked upon the boiler by the owner thereof so as to be plainly visible and in such manner as Government may prescribe.

Owner to produce license when called upon.

10. (1) The owner of any boiler, who shall have obtained a license therefor shall, at all reasonable times during the period for which such license is in force, be bound to produce the said license when called upon to do so by the Chief Inspector of Mines or by the District Magistrate or by any person generally or specially authorised in writing by the Chief Inspector of Mines or the District Magistrate to demand its production

(3) Every Chief Inspector and every Inspector shall be deemed to be a public servant within the meaning of the Indian Penal Code.

Prohibition of use of unregistered or uncertificated boiler.

6 (1) Save as otherwise expressly provided in this Act, no owner of a boiler shall use the boiler or permit it to be used -

(a) unless it has been registered in accordance with the provisions of this Act;

(b) in the case of any boiler which has been transferred from one province to another, until the transfer has been reported in the prescribed manner;

(c) unless a certificate or provisional order authorising the use of the boiler is for the time being in force under this Act;

(d) at a pressure higher than the maximum pressure recorded in such certificate or provisional order;

(e) where the Local Government has made rules requiring that boilers shall be in charge of persons holding certificates of competency, unless the boiler is in charge of a person holding the certificate required by such rules:

Provided that any boiler registered, or any boiler certified of licensed, under any Act hereby repealed shall be deemed to have been registered or certified as the case may be under this Act;

Provided, further, that, until the expiration of twelve months from the commencement of this Act, nothing in this Section shall be deemed to prohibit the use of boiler in any local area in which the registration of, or a certificate or license the use of, a boiler was not previously required by law.

7.(1) The owner of any boiler which not registered under the provisions of Act may apply to the Inspector to have boiler registered. Every such applicati shall be accompanied by the prescribed

ously required by law.

Provision in respect of continued use.

(V) Provided that the owner of a boiler who holds in respect there of a license as aforesaid and who before the expiry of such license gives to the Inspector for the area in which the boiler is situated, not less than 30 days, before such expiry, notice of his intention to continue to use the same afterwards, may continue to use the boiler as allowed by the said license until it is examined in pursuance of such notice.

Registration Owner to give notice of his intention to use a boiler.

(VI) (1) The owner of any boiler which is not registered under the provisions of this Regulation, shall, before using the same, give notice of his intention to do so to the Inspector for the area in which it is situated. Every such application shall be accompanied by the prescribed fee.

Inspector to appoint a day for the examination of the boiler.

(2) On receipt of the notice under section VI (1) the Inspector shall appoint a day within thirty days or such shorter period after sun-rise and before sun-set for the examination of the boiler and shall give the owner thereof not less than 10 days notice of the date so fixed.

Examination by the Inspector.

(3) On the said date, the Inspector shall carefully examine and measure the boiler and every part thereof and determine in the prescribed manner the maximum pressure at which the boiler may be used and shall report the result of the examination to the Chief Inspector in the prescribed form. The owner or person in charge of the boiler shall afford to the Inspector all reasonable facilities for the examination and furnish all such information as may be required regarding the boiler, including drawings, specifications as may be prescribed.

Require the owner to alter the boiler.

(4) The Chief Inspector on receipt of the report may:-

(a) Register the boiler and assign a Register number thereto either forthwith or after satisfying himself that any structural alteration addition or renewal which he may deem necessary has been made in or to the boiler or to any steam pipe attached thereto, or.

(2) The persons so appointed shall, within such local area as the Government may direct exercise the powers and perform the duties conferred and imposed by or under this Regulation on an Inspector.

of
er
out
nse
ibit-

4. After such day as the Government may, by notification in the Official Gazette, fix in this behal no boiler shall be used unless a license authorising its use has been granted under this Regulatio and is in force.

i-
in respect of conti-nued use.

Provided that the owner of a boiler who holds i respect thereof a license as aforesaid, and who, before the expiry of such license, gives to the Ins pector for the local area in which the boiler is situated, not less than thirty days before such expiry, notice of his intention to continue to use the same afterwards, may continue to use or permit the use of the boiler, as allowed by the said license, until it is examined in pursuance of such notice.

Owner to give no-tice of intention to use a boiler.

5. (1) The owner of any unlicenses boiler shall before using the same, give notice of his intentio to use such boiler to the Inspector for the local area within which it is situated.

Inspector to appoint a day for the examina-tion of the boiler.

(2) On receipt of the notice the Inspector sha appoint a day and time, after sunrise and before sunset, for the examination of the boiler. The d so appointed shall be a day, if the boiler is situated in the Kolar Gold Fields or the cities of Bangalore and Mysore, not later than one wee and if situated elsewhere, not more than thirty days from the day on which notice is received.

Examina-tion by the Ins-pector.

(3) On the day and at the time so appointed, the Inspector shall carefully examine the boiler and every part thereof, and the owner or person in cha thereof shall afford to the Inspector all reasonabl facilities for the examination, and all such infor-mation regarding the boiler as he may reasonable require.

3. (1) Nothing in this Act shall a apply in the case of any boiler or steam-pipe -

(a) in any steam-ship as defined ir section 3 of the Indian Steam-ships Act, 1884, or in any steam vessel as defined in section 2 of the Inland Steam-vessels Act, 1917; or

(b) belonging to or under the con of His Majesty's Navy or the Royal Indian Marine-Servic

(2) The Governor General in Council may, by notification in the Gazette of India, declare that the provisions of this Act, shall not apply in the case of boilers or steam-pipes, or of any specified class of boilers or steam pipes belonging to or under the con-trol of any railway administered by the Government or by any railway company as defined in clause (5) of section 3 of the Indian Railways Act, 1890.

4. The Governor General in Council may, by notification in the Gazette of India, exclude any specified area from the operaion of all or any specified provisions of this Act.

5. (1) The local Government may appoint such persons as it thinks fit to the Inspectors for the Province for the purposes of this Act, and may de-fine the local limits within which each Inspector shall exercise the power and perform the duties conferred and imposed on Inspectors by or under this Act.

(2) The Local Government shall likewise appoint a person to be Chief Inspector for the province, who may in addition to the powers and duties conferred or imposed on the Chief Inspector by or under this Act,

(III) 1. The Government may appoint such person or persons as it thinks fit to be Inspectors for the purpose of this Regulation and may define the limits within which the Inspector shall exercise the powers and per-form the duties conferred and imposed on the Inspector by or under this Regulation.

2. The Government shall likewise appoint a person to be Chief Inspector for the whole province, who may, in addition to the powers and duties conferred or imposed on the Chief Inspector by this Regulation, exercise any power or perform any duty so conferred or imposed on the Inspector, or Inspectors.

3. Every Chief Inspector and every Inspector shall be deemed to be a public servant within the meaning of the Indian Penal Code XIV of 1860

(IV) Save as otherwise expressly provided in this Regulation, no owner of a boiler shall use the boiler or permit it to be used:-

1) Unless it has been registered in accord-ance with the provisions of this Regulation;

2) Unless a license or a provisional order authorising the use of the boiler is for the time being in force, under this Regulation:

3) At a higher pressure than the maximum pressure recorded in such license or provision-al order

4) When the Government has made Rules requir-ing that boiler shall be in charge of persons holding certificates of service or competency unless boiler is in charge of a person holding a certificate required by such rules.

Provided further, that until the expiration of twelve months from the commencement of this Regulation, nothing in this section shall be deemed to prohibit the use of any boiler in

M. VENKATANARANAPPA, ESQ., B.A.,
Secretary to the Government of Mysore,
Development Department, Bangalore.

SIR,

Boiler Regulation - Amendment.

I have the honour to invite your kind reference to my letter of even No. dated 28th February 1936 on the above subject

I have the honour to be,
Sir,
Your most obedient servant

DIRECTOR.

4/3

SIR,

Subject:- Boiler Act - Amendment.

****

I have the honour to invite a kind reference to my letter of even No. dated the 21st January 1938, on the above subject and subsequent reminders dated 26-2-38, 9-4-38, 17-6-1938, 28-7-38, 24-8-38 and 12-10-1938.

I request you to kindly obtain early orders of Government and communicate the same to me,

I have the honour to be,

Sir,

Your most obedient servant,

-DIRECTOR.

Tele { Phone 211—City.
Grams —Induscom.

In reply please quote No. date and brief title

5232/P 31

DEPARTMENT OF INDUSTRIES AND COMMERCE.

4522

From (Name) M. S. RAMCHENDRA RAO, ESQ., B.A.,

Designation Director of Industries and Commerce,

Station Bangalore.

To

M. VENKATANARANAPPA, ESQ., B.A.,
Secretary to Government,
Development Department,
Bangalore.

SEN. & REVENUE SECRETARIAT
DEVELOPMENT BRANCH.
No.
Encls.
Spare copies. 14 FEB 1939

F2.419/35-36. Dated the 11th February 1939.

SIR,

Subject:- Boiler Act - Amendment.

***

I have the honour to invite a kind reference to my letter of even No. dated the 21st January 1938 on the above subject and subsequent reminders dated 26-2-38 9-4-38, 17-6-38, 28-7-38, 24-8-38, 12-10-38 and 7-10-38.

I request you to kindly cause necessary action being taken in the matter at an early date.

I have the honour to be,
Sir,
Your most obedient servant,

DIRECTOR

BV2

PROCEEDINGS OF THE GOVERNMENT OF HIS HIGHNESS

THE MAHARAJA OF MYSORE

ORDER No. P213 Legs 11-39-1

Dated Bangalore the 12th July 1939

Ordered that the accompanying Act to amend the Mysore Steam-boilers and Prime-movers Act, 1920 which received the assent of His Highness the Maharaja, on the Third day of July 1939 be published as Act No. XX of 1939, in the Mysore Gazette for general information.

Secretary to Government
Law Department

PROCEEDINGS OF THE GOVERNMENT OF HIS HIGHNESS

THE MAHARAJA OF MYSORE.

O R D E R No. P 213 Legs 11-35-1

Dated Bangalore the 12th July 1939.

Ordered that the accompanying Act to amend the Mysore Steam-boilers and Prime-movers Act, 1920 which received the assent of His Highness the Maharaja, on the Third day of July 1939, be published as Act No.XX of 1939, in the Mysore Gazette for general information.

Legis
DRAFT.

SUBJECT.....

.....

.....

Section. Legis
File No. 11- 39
Serial No. 1

Proceedings of the Government of H. H. the Maharaja of Mysore.

Diary No. of letter replied to.....

Order No. P 213

GENERAL AND REVENUE SECRETARIAT,

( )

, *the*.....191 .

Ordered that the accompanying.....
Act to amend the Mysore Steam Boilers and Prime Movers Act, 1920
.....
which received the assent of His Highness the Maharaja, on the.....3rd.....
day of.....July..... 1939
be published as ~~Regulation~~ Act No.....XX.....
of 1939, in the *Mysore Gazette* for general information.

Date of issue.....12/7/39.....

Signed by.....Dy. C.S.A.....

May this be—

(i) Printed?

(ii) Treated as a standing order?

(iii) Published in the "Gazette" English part?

(iv) Translated?

(v) Placed at the disposal of the Press?

(vi) Published in the "Gazette" Kannada part?

3/7/39 *Secretary to Government.*
Law department

To

The Compiler, *Mysore Gazette*, for publication in Part III of the Gazette, in English and Kannada and for supply of Spare copies as per standing order
.....spare copies in English, and
.....spare copies in Kannada to this office, and.....spare copies in English and.....spare copies in Kannada to the Curator, Government Central Book Depot, Bangalore. Proofs should be sent to this office for approval before publication.

Cyf Khudabaksh Lucknow.

Proof for Abl

35 TH.

13.7.39

NOTIFICATION.

Order No. P. 213—Legis. 11-39-1, dated Bangalore the 12th July 1939.

Ordered that the accompanying Act to amend the Mysore Steam-boilers and Prime-movers' Act, 1920, which received the assent of His Highness the Maharaja, on the third day of July 1939, be published as Act XX of 1939, in the Mysore Gazette for general information.

C. SUBRAHMANYA AIYAR,
Secretary to Government,
Law Department.

ACT XX OF 1939.

An Act to amend the Mysore Steam-boilers and Prime movers' Act, 1920.

Recieved the assent of His Highness the Maharaja on the third day of July 1939.,

Whereas it is expedient to amend the Mysore Steam-boilers and Prime-movers' Act III of 1920; it is hereby enacted as follows:—

(1) In Section 24 (*b*) of the Mysore Steam-boilers and Prime-movers Act, 1920, the words "at rates not exceeding those prescribed in schedule 'B'" shall be omitted. **Amendment of Section 24, Act III of 1920**

(2) Schedule 'B' to the said Act shall be omitted. **Omission of Schedule B from Act III of 1920.**

MIRZA M. ISMAIL,
Dewan.